

Viewsonic PA700X video projector **Proyector de alcance estándar** **4500 lúmenes ANSI XGA (1024x768) Blanco**



Marca : Viewsonic


Código del producto: PA700X

Nombre del producto : PA700X

Viewsonic PA700X. Brillo de proyector: 4500 lúmenes ANSI, Resolución original del proyector: XGA (1024x768), Razón de contraste (típica): 12500:1. Tipo de fuente de luz: Lámpara, Vida útil de la fuente de luz: 4000 h, Vida útil de la fuente de luz (modo económico): 12000 h. Enfoque: Manual, Intervalo de longitud focal: 21.85 - 24.01 mm, Rango de apertura: 2.42 - 2.53. Señal analógica: NTSC, PAL, SECAM, Formatos gráficos soportados: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Formato de vídeo soportado: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo de serie de interfaz: RS-232, Tipo de conector HDMI: De tamaño completo, Tipo de puerto de servicio: USB tipo A

Projector		Network	
Smart projector *	✗	Ethernet LAN *	✗
Screen size compatibility *	762 - 7620 mm (30 - 300")	Wi-Fi *	✗
Projection distance	1.18 - 13.17 m	Storage	
Projector brightness *	4500 ANSI lumens	Card reader integrated *	✗
Projector native resolution *	XGA (1024x768)	Features	
Contrast ratio (typical) *	12500:1	Interactive *	✗
Number of colours	1.07 billion colours	Noise level (economic mode)	25 dB
Horizontal scan range	15 - 102 kHz	HDCP	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD)	✓
Keystone correction, vertical	-40 - 40°	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Korean, Polish, Portuguese, Russian, Thai, Turkish, Vietnamese
Light source			
Light source type *	Lamp		
Service life of light source *	4000 h		
Service life of light source (economic mode)	12000 h	Number of OSD languages	22
Lamp type	UHP	HDCP version	1.4
Lamp power	240 W	Noise level *	34 dB
Lamps quantity	1 lamp(s)	Air filter	✓
Lens system		Multimedia	
Focus *	Manual	Built-in speaker(s) *	✓
Focal length range	21.85 - 24.01 mm	RMS rated power	3 W
Aperture range (F-F)	2.42 - 2.53	Number of built-in speakers	1
Zoom capability	✓	Design	
Digital zoom	2x	Market positioning *	Education
Optical zoom	1.1x	Product type *	Standard throw projector
Throw ratio	1.94 - 2.16	Product colour *	White
Offset	115%	LED indicators	✓
Video		Cable lock slot	✓
Analog signal format system *	NTSC, PAL, SECAM	Cable lock slot type	Kensington
Full HD *	✓	Display	
3D *	✗	Built-in display *	✗
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source *	AC
Ports & interfaces		Power consumption (typical) *	295 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	1.4	AC input voltage	100 - 240 V
Service port type	USB Type-A		

Ports & interfaces		Power	
USB 2.0 ports quantity	1	AC input frequency	50 - 60 Hz
USB 2.0 Type-A ports quantity	1	Operational conditions	
Serial interface type *	RS-232	Operating temperature (T-T)	0 - 40 °C
PC Audio in	✓	Weight & dimensions	
PC Audio out	✓	Width	309 mm
PC in (D-Sub)	✓	Depth	234 mm
VGA (D-Sub) ports quantity *	2	Height	115 mm
HDMI ports quantity *	2	Weight *	2.7 kg
DVI port *	✗	Package width	400 mm
AC (power) in	✓	Package depth	337 mm
Network		Package height	168 mm
Smart TV *	✗	Package weight	3.8 kg
		Packaging content	
		Remote control included *	✓
		Remote control type	IR
		Cables included	AC, VGA
		Quick start guide	✓
		Warranty card	✓
		Technical details	
		Image lag time	33.2 ms



0766907020007



766907020007

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.