## Kensington SD5600T Alámbrico Thunderbolt 3 Negro, Plata

Marca: Kensington Código del producto: K34009US

Nombre del producto: SD5600T

USB-C 3.2 Gen2, 6 x USB-A 3.2 Gen2, 1 x USB-C 3.2 Gen2, SD/MicroSD, RJ-45, 2 x DisplayPort v1.2, 2 x HDMI v2.0, 1 x 3.5 mm, 835 g

Kensington SD5600T. Tecnología de conectividad: Alámbrico, Interfaz de host: Thunderbolt 3, Envío de energía de USB hasta: 96 W. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s. Color del producto: Negro, Plata, Tarjetas de memoria compatibles: MicroSD (TransFlash), SD, Velocidad de transferencia de datos: 40 Gbit/s. Tipo de alimentación: CC, Voltaje de entrada AC: 100 - 240 V, Corriente de entrada: 1.8 A. Sistemas operativos Windows soportados: Windows 10, Windows 10 Education, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey,...





Ports & interfaces		Power	
	100		100 040 //
Connectivity technology *	Wired	AC input voltage	100 - 240 V
Host interface *	Thunderbolt 3	Input current	1.8 A
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	6	Output voltage	20 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-C		Output current	8.5 A
ports quantity	1	Software	
USB Power Delivery (USB PD)	✓	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64
USB Power Delivery up to	96 W		
HDMI ports quantity *	2		
HDMI version	2.0		
DisplayPorts quantity	2		
DisplayPort version	1.2		
Combo headphone/mic port	✓		
Headphone outputs *	1	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Headphone connectivity	3.5 mm		
USB Type-C DisplayPort Alternate	1		
Mode	•	Operational conditions	
Network		Operating temperature (T-T)	0 - 40 °C
Ethernet LAN *	1	Storage temperature (T-T)	-18 - 60 °C
Ethernet LAN (RJ-45) ports	1		10 00 0
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability	
Performance	., ., ., ., ., .,	Sustainability compliance	✓
		Weight & dimensions	
Card reader integrated *	<b>✓</b>	Width	197 mm
Compatible memory cards	MicroSD (TransFlash), SD	Depth	104 mm
Data transfer rate	40 Gbit/s	Height	36.8 mm
HD type	4K Ultra HD	Weight	835 g
Maximum digital resolution	3840 x 2160 pixels	-	-
Maximum refresh rate	60 Hz		

Performance		Packaging data	
Cable lock slot Cable lock slot type VESA mounting Product colour * Plug and Play	✓ Kensington ✓ Black, Silver	Package width Package depth Package height Package weight  Packaging content	253 mm 152 mm 91 mm 1.74 kg
Housing material  Country of origin	Acrylonitrile butadiene styrene (ABS), Aluminium, Polycarbonate (PC) Thailand	Warranty card Cables included AC adapter included	✓ Thunderbolt ✓
Power		Quick start guide	<b>/</b>
Power source type	DC	Stand included  Technical details  Compliance certificates	CB, CE, Federal Communications Commission (FCC), RoHS
		Logistics data	
		Products per master (outer) case	4 pc(s)
		Other features	
		Minimum system requirements	CPU: Intel Core i5 6th 8GB Intel HD Graphics 620+

