be quiet! DARK BASE PRO 901 | Black Full Tower Negro

Marca : be quiet! Código del producto: BGW50

Nombre del producto : DARK BASE PRO 901 | Black

be quiet! DARK BASE PRO 901 | Black. Factor de forma: Full Tower, Tipo: PC, Color del producto: Negro. Ubicación de fuente de alimentación: Fondo, Factores de forma de la fuente de alimentación compatibles: ATX, PS2. Ventiladores frontales instalados: 2x 140 mm, Diámetro de ventiladores frontales soportados: 120,140 mm, Diámetro de ventiladores secundarios soportados: 120 mm. Tamaños de disco duro soportados: 2.5,3.5,5.25". Ancho: 275 mm, Profundidad: 604 mm, Altura: 569 mm





Design		Cooling	
Material Alur	minium, Glass, Steel	Rear fans installed	1x 140 mm
Form factor * Full Type * PC	l Tower	Number of rear fans supported (max)	1
Product colour * Blac	ck	Rear fans diameters supported	120,140 mm
	X, EATX, micro ATX, Mini-ATX, XL-	Number of top fans supported (max)	3
Number of 3.5" bays * 2		Top fans diameters supported	120,140 mm
Number of 5.25" bays * 1		Number of bottom fans supported	1
Number of 2.5" bays 6		(max)	
Number of expansion slots 8		Bottom fans diameters supported	120,140 mm
Side window		Fan speed Maximum airflow	0 - 1900 RPM 78.4 cfm
Suitable for Gan	mina	Fan 2 maximum airflow	78.4 cfm
Illumination <		Maximum air pressure	2.36 mmH2O
Illumination colour Mult	IL!	Fan 2 maximum air pressure	2.36 mmH2O
Anti-dust filter ✓		Front radiator sizes supported	120,140,240,280,360,420 mm
On/off button		Side radiator sizes supported	120,240,360 mm
LED indicators		Bottom radiator sizes supported	140 mm
Maximum CPU cooler height 19 c		Rear radiator sizes supported	120,140 mm
-		Top radiator sizes supported	120,240,360 mm
		Storage	
Power supply		Supported HDD sizes *	2.5,3.5,5.25"
Power supply included * X			2.3,3.3,3.23
	ttom	Technical details	
Supported power supply form factors ATX	X, PS2	Sustainability compliance	✓
		Sustainability certificates	Triman
Ports & interfaces		Warranty period	3 year(s)
Audio input		Compliance certificates	CE, REACH, RoHS, UKCA
Audio output		Weight & dimensions	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *		Width	275 mm
IISB 3 2 Gen 2 (3.1 Gen 2) Type-A		Depth	604 mm
ports quantity *		Height	569 mm
Cooling		Weight	16.3 kg
Fan speed control		Packaging data	
		Package width	357 mm

Cooling		Packaging data	
Number of front fans supported (max)	3	Package depth	633 mm
, ,		Package height	684 mm
Front fans diameters supported	120,140 mm	Package weight	20.8 kg
Number of side fans supported (max)	3		
Side fans diameters supported	120 mm		



4260052190142

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.