## Epson EcoTank L3251 Inyección de tinta A4 5760 x 1440 DPI 33 ppm Wifi

Marca : EpsonFamilia de productos:<br/>EcoTankCódigo del producto:<br/>C11CJ67302

Nombre del producto: L3251

Impresora Multifuncional Inlámbrica EcoTank L3251

Epson EcoTank L3251. Tecnología de impresión: Inyección de tinta, Impresión: Impresión a color, Resolución máxima: 5760 x 1440 DPI, Velocidad de impresión (color, calidad normal, A4/US Carta): 15 ppm. Copiando: Copia a color, Resolución máxima de copia: 1200 x 2400 DPI. Escaneando: Escaneo a color, Resolución óptica de escáner: 1200 x 2400 DPI. Funciones de doble cara: Imprimir. Tamaño máximo de papel ISO A-series: A4. Wifi. Impresión directa. Color del producto: Negro





Printing		Paper handling	
Duplex printing mode Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Manual Inkjet Colour printing  ✓ 5760 x 1440 DPI 33 ppm	Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes Envelopes sizes Photo paper sizes Paper tray media weight	Photo paper, Plain paper A4, A5, A6 B5 Legal, Letter 10, C6, DL 10x15,13x18 cm 60 - 300 g/m <sup>2</sup>
Print speed (colour, normal quality, A4/US Letter)	15 ppm	Ports & interfaces	
Print speed (ISO/IEC 24734) black Print speed (ISO/IEC 24734) colour Borderless printing	10 ppm 5 ppm	Direct printing * USB port	1
, 3	•	Network	
Copying		Wi-Fi *	✓
Copying * Maximum copy resolution * Maximum copy size	Colour copying 1200 x 2400 DPI A4	Ethernet LAN *  Security algorithms	X 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK,
Scanning Scanning *	Colour scanning 1200 x 2400 DPI	Management protocols	WPA2-TKIP, WPA3-SAE SNMP, HTTP, DHCP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD
Optical scanning resolution *  Maximum scan area	216 x 297 mm	Mobile printing technologies	Epson Connect
Scanner type *	Flatbed scanner	Design	
ican technology CIS mage formats supported BMP, JPEG, PICT, PNG, TIFF Document formats supported PDF	Product colour *  Market positioning *  Built-in display *	Black Home & office X	
Input colour depth	48 bit	Power	
Output colour depth Input greyscale depth Output greyscale depth	24 bit 16 bit 8 bit	Power consumption (copying) AC input voltage AC input frequency	12 W 100 - 240 V 50 - 60 Hz

Fax		System requirements	
Faxing *	×	Windows operating systems supported	Windows Vista, Windows XP Professional x64
Printing colours *	Print 4 Black, Cyan, Magenta, Yellow	Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur Windows Server 2003 R2, Windows Server 2008, Windows Server 2008
Input & output capacity  Total number of input trays *  Total input capacity *	1 100 sheets	Server operating systems supported	R2, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
Total output capacity *	30 sheets	Weight & dimensions	
Paper handling		Width	375 mm
Maximum ISO A-series paper size *	A4	Depth Height Weight	347 mm 179 mm 3.9 kg
		Packaging content	
		Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included	4500 pages 7500 pages AC

