SHARP
Be Original.

Sharp 4P-B65EJ2U Televisor 165.1 cm (65") 4K Ultra HD Negro 330 cd / m²

Marca : Sharp   **Código del producto:** 4P-B65EJ2U

Nombre del producto : 4P-B65EJ2U

Sharp 4P-B65EJ2U. Diagonal de la pantalla: 165.1 cm (65"), Resolución de la pantalla: 3840 x 2160 Pixeles, Tipo HD: 4K Ultra HD, Tecnología de visualización: LCD, Forma de la pantalla: Plana, Tipo de retro iluminación LED: Direct-lit LED, Brillo de pantalla: 330 cd / m², Tiempo de respuesta: 6 ms, Razón de contraste (típica): 1300:1, Relación de aspecto nativa: 16:9. Sistema de formato de señal digital: ATSC. Ethernet. Color del producto: Negro

Display

Display diagonal *	165.1 cm (65")
HD type *	4K Ultra HD
Display technology *	LCD
LED backlight	✔
LED backlighting type	Direct-lit LED
Screen shape *	Flat
Native aspect ratio *	16:9
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1920 x 1080 (HD 1080), 3860 x 2160
Display brightness *	330 cd/m²
Response time	6 ms
Native refresh rate	60 Hz
Display refresh rates supported	60 Hz
Contrast ratio (typical) *	1300:1
Display number of colours	1.07 billion colours
Viewing angle, horizontal	176°
Viewing angle, vertical	176°
Display resolution *	3840 x 2160 pixels

TV tuner

Tuner type *	Analog & digital
Analog signal format system *	NTSC
Digital signal format system *	ATSC

Smart TV

Smart TV *	✖

Audio

Number of speakers *	2
RMS rated power *	16 W

Network

Wi-Fi *	✖
Bluetooth *	✖
Ethernet LAN *	✔

Design

Product colour *	Black
Frameless design	✔
Stand type	Legs stand
Stand colour	Black

Performance

High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Noise reduction *	✖
High Dynamic Range (HDR) supported *	✔
Image gallery	✔
Remote access	✔
Smartphone/tablet remote support	✔
USB recording	✖

Ports & interfaces

HDMI version	2.0
HDCP	✔
PC in (D-Sub) *	✖
Ethernet LAN (RJ-45) ports	1
USB 2.0 ports quantity *	2
RS-232C ports	1
Common interface (CI) *	✖
Common interface Plus (CI+) *	✖
HDMI ports quantity *	3

Management features

Control type	Wireless

Power

Power consumption (typical) *	180 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width (with stand)	1446 mm
Depth (with stand)	73.7 mm
Height (with stand)	835.7 mm
Width (without stand)	1446 mm
Depth (without stand)	73.7 mm
Height (without stand)	835.7 mm
Weight (without stand)	16.4 kg

Packaging data

Package width	1588 mm
Package depth	151.9 mm
Package height	938 mm
Package weight	23 kg
Package type	Box

Packaging content	
Remote control included	✔

0074000377622

074000377622