



Lenovo ThinkPad L15 AMD Ryzen™ 3 PRO 4450U Computadora portátil 39.6 cm (15.6") HD 8 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Español Negro

Marca : Lenovo

Familia de productos:
ThinkPad

Código del producto:
20U8S2S100

Nombre del producto : L15

- Windows 11 Pro 64-bit
- AMD Ryzen 3 PRO 4450U (4MB Cache, 2.5GHz)
- 39.6 cm (15.6") HD 1366 x 768 TN
- 8GB (3200MHz) DDR4-SDRAM & 512GB SSD

AMD Ryzen 3 PRO 4450U (4MB Cache, 2.5GHz), 8GB DDR4-SDRAM, 512GB SSD, 39.6 cm (15.6") HD 1366 x 768 TN, AMD Radeon Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

Lenovo ThinkPad L15. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: AMD Ryzen™ 3 PRO, Modelo del procesador: 4450U, Frecuencia del procesador: 2.5 GHz.

Diagonal de la pantalla: 39.6 cm (15.6"), Tipo HD: HD, Resolución de la pantalla: 1366 x 768 Píxeles.

Memoria interna: 8 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 512 GB,

Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: AMD Radeon Graphics. Sistema

operativo instalado: Windows 11 Pro. Color del producto: Negro



Design		Network	
Product type *	Laptop	Antenna type	2x2
Product colour *	Black	WLAN controller model	MediaTek MT7921
Form factor *	Clamshell	WLAN controller manufacturer	MediaTek
Display		Ethernet LAN	✓
Display diagonal *	39.6 cm (15.6")	Ethernet LAN data rates	100,1000 Mbit/s
Display resolution *	1366 x 768 pixels	Bluetooth	✓
Touchscreen *	✗	Bluetooth version	5.1
HD type	HD	Ports & interfaces	
Panel type	TN	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
LED backlight	✓	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
Native aspect ratio	16:9	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Anti-glare screen	✓	Ethernet LAN (RJ-45) ports	1
Display brightness	220 cd/m²	HDMI ports quantity *	1
RGB colour space	NTSC	HDMI version	1.4b
Colour gamut	45%	Combo headphone/mic port	✓
Contrast ratio (typical)	400:1	Docking connector	✓
Processor		USB Type-C DisplayPort Alternate Mode	✓
Processor manufacturer *	AMD	USB Sleep-and-Charge	✓
Processor family *	AMD Ryzen™ 3 PRO	USB Sleep-and-Charge ports	1
Processor generation	AMD Ryzen PRO 4000 Series	Performance	
Processor model *	4450U	Motherboard chipset	AMD SoC
Processor cores	4	Keyboard	
Processor boost frequency	3.7 GHz	Pointing device	ThinkPad UltraNav
Processor frequency *	2.5 GHz	Numeric keypad *	✓
Processor cache	4 MB	Spill-resistant keyboard	✓
Processor cache type	L3	Keyboard language	Spanish
Memory		Software	
Internal memory *	8 GB	Operating system architecture	64-bit
Internal memory type	DDR4-SDRAM	Operating system installed *	Windows 11 Pro
Memory clock speed	3200 MHz		
Memory form factor	SO-DIMM		
Memory slots	2x SO-DIMM		
Maximum internal memory *	64 GB		
Memory channels	Dual-channel		

Storage		Battery	
Total storage capacity *	512 GB	Battery technology	Lithium Polymer (LiPo)
Storage media *	SSD	Number of battery cells	3
Total SSDs capacity	512 GB	Battery capacity *	45 Wh
Number of SSDs installed	1	Battery life (max)	13.78 h
SSD capacity	512 GB	Fast charging	✓
SSD interface	PCI Express 3.0	Power	
NVMe	✓	AC adapter power	65 W
SSD form factor	M.2	USB Power Delivery (USB PD)	✓
Optical drive type *	✗	Security	
Card reader integrated	✓	Cable lock slot	✓
Compatible memory cards	MicroSD (TransFlash)	Cable lock slot type	Kensington
Graphics		Fingerprint reader	✗
Discrete graphics card model *	Not available	Trusted Platform Module (TPM)	✓
On-board graphics card *	✓	Trusted Platform Module (TPM) version	2.0
Discrete graphics card *	✗	Password protection	✓
On-board graphics card model *	AMD Radeon Graphics	Password protection type	HDD, Power on, Supervisor
Audio		Operational conditions	
Audio chip	Realtek ALC3287	Operating temperature (T-T)	5 - 35 °C
Audio system	Dolby Audio	Storage temperature (T-T)	5 - 43 °C
Number of built-in speakers	2	Operating relative humidity (H-H)	8 - 95%
Speaker power	2 W	Storage relative humidity (H-H)	5 - 95%
Built-in subwoofer	✗	Maximum shipping altitude	3048 m
Built-in microphone	✓	Certificates	
Number of microphones	2	Certification	MIL-STD-810G EPEAT™ Gold ENERGY STAR® 8.0 TCO Certified RoHS compliant
Camera		Weight & dimensions	
Front camera	✓	Width	366.5 mm
Front camera resolution	1280 x 720 pixels	Depth	250 mm
Front camera HD type	HD	Height	21 mm
Privacy camera	✓	Weight *	1.98 kg
Privacy type	Privacy shutter		
Network			
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)		
Wi-Fi standards	Wi-Fi 6 (802.11ax)		
Mobile network connection *	✗		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date