


Lenovo 4XB7A82274 unidad interna de estado sólido 480 GB 2.5" **Serial ATA III 3D TLC NAND**

Marca: Lenovo Código del producto: 4XB7A82274

Nombre del producto: 4XB7A82274



de datos: 6 Gbit/s, Componente para: Servidor/estación de trabajo



Features		Features	
Security algorithms SSD capacity * SSD form factor * Interface * NVMe * Memory type * Component for * Data transfer rate Random read (4KB) Random write (4KB) Read latency Write latency S.M.A.R.T. support Hot-swap Mean time between failures (MTBF)	256-bit AES 480 GB 2.5" Serial ATA III X 3D TLC NAND Server/workstation 6 Gbit/s 95000 IOPS 37000 IOPS 170 μs 42 μs ✓ X 30000000 h	Certification	Micron Green Standard Built with sulfur resistant resistors CE (Europe): EN 55032 Class B, RoHS UKCA (UK): SI 2016/1091 Class B and SI 2012/3032 RoHS FCC: CFR Title 47, Part 15 Class B UL/cUL: approval to UL-60950-1, 2nd Edition, IEC 60950-1:2005 (2nd Edition); EN 60950-1 (2006) + A11:2009+ A1:2010 + A12:2011 + A2:2013 BSMI (Taiwan): approval to CNS 13438 Class B and CNS 15663 RCM (Australia, New Zealand): AS/NZS CISPR32 Class B KC RRA (Korea): approval to KN32 Class B, KN 35 Class B W.E.E.E.: compliance with EU WEEE directive 2012/19/EC TUV (Germany): approval to IEC60950/EN60950 VCCI (Japan): 2015-04 Class B IC (Canada): ICES-003 Class B Morocco: approval to EN55032/EN55024 Class B UK/SEPRO (UKraine): EN55032 Class B, IEC60950/EN60950, RoHS (Resolution 2017 No. 139)
		Power	
		Power consumption (read)	2.5 W
		Power consumption (write)	3.1 W
		Weight & dimensions	
		Width Depth Height Weight	70 mm 100 mm 7 mm 70 g
		Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 70 °C -40 - 85 °C 5 - 95% 5 - 95%
		Other features	
		Compatible products	ThinkSystem

