

Epson WorkForce Pro WF-C5890 Inyección de tinta A4 4800 x 1200 DPI Wifi

Marca : Epson

Familia de productos:
WorkForce Pro

Código del producto:
C11CK23301

Nombre del producto : WF-C5890

Epson WorkForce Pro WF-C5890. Tecnología de impresión: Inyección de tinta, Impresión: Impresión a color, Resolución máxima: 4800 x 1200 DPI. Copiando: Copia a color. Escaneando: Escaneo a color, Resolución óptica de escáner: 1200 x 2400 DPI. Enviando por fax: Fax a color. Funciones de doble cara: Imprimir, Escanear. Tamaño máximo de papel ISO A-series: A4. Wifi. Impresión directa. Color del producto: Negro, Gris



Printing		Ports & interfaces	
Print technology *	Inkjet	Direct printing *	✓
Printing *	Colour printing	USB port	✓
Duplex printing *	✓	USB 2.0 ports quantity	2
Maximum resolution *	4800 x 1200 DPI	Network	
Print speed (ISO/IEC 24734) black	25 ppm	Wi-Fi *	✓
Print speed (ISO/IEC 24734) colour	25 ppm	Ethernet LAN *	✓
Copying		Ethernet LAN data rates	10,100,1000 Mbit/s
Copying *	Colour copying	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum number of copies	999 copies	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA2-AES, WPA2-PSK, WPA3-SAE
Copier resize	25 - 400%		HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNMP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
N-in-1 copy function	✓	Management protocols	
ID-card copy function	✓		
Scanning		Mobile printing technologies	
Duplex scanning *	✓		
Duplex scanning mode	Auto	Performance	
Scanning *	Colour scanning	Internal memory *	1024 MB
Optical scanning resolution *	1200 x 2400 DPI	Design	
Maximum scan area	216 x 297 mm	Product colour *	Black, Grey
Scanner type *	Flatbed & ADF scanner	Market positioning *	Business
Scan technology	CIS	Built-in display *	✓
Scan to	Cloud, Network folder, PC	Display diagonal	10.9 cm (4.3")
Document formats supported	PDF	Control type	Touch
Input colour depth	48 bit	Colour display	✓
Output colour depth	24 bit	Power	
Fax		Power consumption (copying)	27 W
Faxing *	Colour faxing	Power consumption (ready)	11.7 W
Modem speed	33.6 Kbit/s	Power consumption (sleep)	1.2 W
Fax memory	550 pages	Power consumption (off)	0.2 W
Speed dialling	✓	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Features		AC input voltage	100 - 240 V
Maximum duty cycle *	75000 pages per month	AC input frequency	50 - 60 Hz
Duplex functions *	Print, Scan		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	ESC/P-R, PCL 5c, PCL 6, PDF 1.7, PostScript 3		

Input & output capacity		System requirements	
Total number of input trays *	4	Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1
Total input capacity *	250 sheets		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Total output capacity *	150 sheets	Mac operating systems supported	
Auto document feeder (ADF)	✓		Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Auto document feeder (ADF) input capacity	50 sheets		
Maximum input capacity	1830 sheets	Server operating systems supported	
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	20 - 80%
Paper tray media types *	Photo paper, Plain paper	Storage temperature (T-T)	10 - 35 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operating temperature (T-T)	-20 - 40 °C
ISO B-series sizes (B0...B9)	B5, B6	Storage relative humidity (H-H)	5 - 85%
Non-ISO print media sizes	Legal, Letter	Weight & dimensions	
Envelopes sizes	10, C4, C5, C6, DL	Width	425 mm
Photo paper sizes	10x15,13x18 cm	Depth	535 mm
Paper tray media weight	64 - 256 g/m²	Height	357 mm
		Weight	23 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	5000 pages
		Included cartridge capacity (CMY)	5000 pages

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date