
## ASUS PN41-BBF5000ATD PC/estación de trabajo barebone Negro N5100 1.1 GHz

Marca : ASUS Código del producto: PN41-BBF5000ATD

Nombre del producto : PN41-BBF5000ATD







| Processor   |   | Ports & interfaces   |  |
|---|---|--|--|
| Processor manufacturer Processor family Processor model Processor cores Processor threads Processor boost frequency Processor frequency                           | Intel Intel® Celeron® N5100 4 4 2.8 GHz 1.1 GHz         | HDMI ports quantity * Microphone in Combo headphone/mic port Ethernet LAN (RJ-45) ports * Consumer infrared headers DC-in jack                             | 1  /  /  1  /  /  /  /  /  /  /  /  /  / |
| Built-in processor *  | ✓   | Design   |  |
| Processor cache CPU configuration (max)  Memory   | 4 MB<br>1   | Product colour * Cooling type * On/off switch  | Black<br>Active<br>✓                     |
| Memory slots type * SO-DIMM  Number of memory slots * 1  Supported memory clock speeds 3200 MHz   | Cable lock slot Cable lock slot type Product type *     | Kensington Mini PC barebone  |  |
| Supported memory types  | DDR4-SDRAM  | Performance  |  |
| Storage   |   | Audio chip   | Realtek ALC3236-VB2                      |
| Supported storage drive types * Storage drive sizes supported * SSD form factor Storage drive interface Number of storage drives supported Card reader integrated | HDD & SSD<br>2.5,M.2<br>M.2<br>M.2, Serial ATA<br>1     | Consumer infrared Rx sensor  Processor special features Intel Virtualization Technology for Directed I/O (VT-d) Intel VT-x with Extended Page Tables (EPT) |  |
| Graphics  |   | Intel 64   | <b>✓</b>                                 |
| On-board graphics card * Graphics card family On-board graphics card model Maximum resolution Number of displays supported  | Intel<br>Intel® UHD Graphics<br>4096 x 2160 pixels<br>3 | Idle States Enhanced Intel SpeedStep Technology Intel Trusted Execution Technology Intel Virtualization Technology (VT-x)                                  | <ul><li>×</li><li>×</li></ul>            |
| Audio   |   | Certificates   |  |
| Built-in speaker(s) *   | ×   | Certification  | BSMI/CB/CE/FCC/UL/CCC/Energy             |
| Network   |   |  | Star/C-Tick/WiFi/RF/VCCI                 |
| Top Wi-Fi standard<br>Wi-Fi standards   | Wi-Fi 6 (802.11ax)<br>Wi-Fi 6 (802.11ax)                |  |  |

| Network   |                               | Software   |                                    |
|---|-------------------------------|--|------------------------------------|
| Ethernet LAN * Wi-Fi *                            | ✓<br>✓<br>Realtek RTL8125B-CG | Windows operating systems supported                  | Windows 10                         |
| LAN controller                                    |                               | Power  |                                    |
| Bluetooth<br>Bluetooth version                    | <b>√</b><br>5.0               | Power supply type * Power supply                     | External AC adapter<br>65 W        |
| Ports & interfaces                                | rts & interfaces              | AC adapter output voltage  AC adapter output current | 19 V<br>3.42 A                     |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 3                             | Weight & dimensions                                  |                                    |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity 2 | 2                             | Width<br>Depth<br>Height<br>Weight                   | 115 mm<br>115 mm<br>49 mm<br>700 g |
|   |                               | Packaging content                                    |                                    |
|   |                               | Display included                                     | X                                  |

