



DELL PowerEdge R650 servidor 480 GB Bastidor (2U) Intel® Xeon Silver 4310 2.1 GHz 32 GB DDR4-SDRAM 800 W

Marca : DELL

Familia de productos:
PowerEdge

Código del producto:
R650XSCOLQ4V1



Nombre del producto : R650

DELL PowerEdge R650. Familia de procesador: Intel® Xeon Silver, Frecuencia del procesador: 2.1 GHz, Modelo del procesador: 4310. Memoria interna: 32 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 480 GB. Ethernet, Tecnología de cableado: 10/100/1000Base-T(X). Fuente de alimentación: 800 W, Suministro de energía redundante (RPS), soporte. Tipo de chasis: Bastidor (2U)



Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Processor family *	Intel Xeon Silver	Design	
Processor generation	3rd Generation Intel® Xeon® Scalable	Chassis type *	Rack (2U)
Processor model *	4310	Product colour	Black
Processor frequency *	2.1 GHz	Performance	
Processor boost frequency	3.3 GHz	Remote administration	iDRAC9, Express 15G
Processor cache	18 MB	Software	
Number of processors installed	1	Operating system installed *	✗
Maximum internal memory supported by processor	1 TB	Compatible operating systems *	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Memory		Power	
Internal memory *	32 GB	Redundant power supply (RPS) support *	✓
Internal memory type *	DDR4-SDRAM	Power supply *	800 W
Memory ranking	2	Number of redundant power supplies supported	2
Memory slots	32x DIMM	Number of main power supplies	2
Memory clock speed	2666 MHz	Power cable length	3 m
Memory data transfer rate	3200 MT/s	Power cable connector 1	NEMA 5-15P
Maximum internal memory *	2 TB	Power cable connector 2	C13 coupler
Power cable current			15 A
Storage		Operational conditions	
Total storage capacity *	480 GB	Storage temperature (T-T)	-40 - 65 °C
Number of SSDs installed	1	Storage relative humidity (H-H)	5 - 95%
SSD capacity	480 GB		
SSD interface	SATA III		
SSD size	2.5"		
Supported RAID controllers	PERC H755		
Network			
Ethernet LAN	✓		

Network		Operational conditions	
Cabling technology	10/100/1000Base-T(X)	Operating altitude	0 - 3048 m
Ethernet interface type	Gigabit Ethernet	Non-operating altitude	0 - 12000 m
Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports *	2	Height	42.8 mm
USB 2.0 ports quantity	2		



0884116419679



884116419679

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.