

Epson WorkForce DS-790WN Escáner alimentado con hojas 600 x 600 DPI A4 Negro, Blanco

Marca : Epson

Familia de productos:
WorkForce

Código del producto:
B11B265501

Nombre del producto :
DS-790WN

Epson WorkForce DS-790WN. Tamaño máximo de escaneado: 215.9 x 6096 mm, Resolución óptica de escáner: 600 x 600 DPI, Profundidad de color de entrada: 30 Bit. Tipo de escaneado: Escáner alimentado con hojas, Color del producto: Negro, Blanco, Pantalla: LCD. Ciclo de trabajo diario (máx.): 7000 páginas, Escanear a: Correo electrónico, FTP, Network folder, Software, USB, Controladores de escaneado: ICA, ISIS, SANE, TWAIN, WIA. Capacidad del alimentador automático de documentos: 100 hojas. Tamaño máximo de papel ISO A-series: A4, Tipos de media soportados de escaneo: Tarjeta de presentación, Sobres, Tarjeta de plástico, Post Card(JPN), Tamaño de ISO serie A (A0...A9): A4, A5, A6, A8



Scanning		Paper handling	
Maximum scan size *	215.9 x 6096 mm	Auto Document Feeder (ADF) media weight	27 - 413 g/m²
Optical scanning resolution *	600 x 600 DPI	Ports & interfaces	
Duplex scanning *	✓	USB port *	✓
Input colour depth	30 bit	Network	
Output colour depth	24 bit	Wi-Fi	✓
Input greyscale depth	30 bit	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Output greyscale depth	24 bit	Ethernet LAN	✓
Design		Power	
Scanner type *	Sheet-fed scanner	Power supply type *	AC
Product colour *	Black, White	Power consumption (typical)	15 W
Display	LCD	Power consumption (standby)	1.5 W
Display diagonal	10.9 cm (4.3")	AC input frequency	50 - 60 Hz
Touchscreen	✓	Input voltage	100 - 240 V
Colour display	✓	Weight & dimensions	
Built-in display *	✓	Width	296 mm
Performance		Depth	212 mm
Daily duty cycle (max) *	7000 pages	Height	217 mm
Scan to	E-mail, FTP, Network folder, Software, USB	Weight	3.7 kg
Scan drivers	ICA, ISIS, SANE, TWAIN, WIA	Packaging data	
Input capacity		Quantity per pack	1 pc(s)
Auto document feeder (ADF) input capacity	100 sheets	Package width	270 mm
Paper handling		Package depth	370 mm
Scanning media types supported	Business Card, Envelopes, Plastic Card, Post Card(JPN)	Package height	325 mm
Maximum ISO A-series paper size *	A4	Package weight	4.97 kg
ISO A-series sizes (A0...A9)	A4, A5, A6, A8	Operational conditions	
		Operating temperature (T-T)	5 - 35 °C

Paper handling		Operational conditions	
ISO B-series sizes (B0...B9)	B5, B6	Operating relative humidity (H-H)	15 - 80%
Letter	✓	Storage relative humidity (H-H)	15 - 85%
Legal	✓	Logistics data	
		Country of origin	Indonesia



9314020634468

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date