## Samsung LH55QMCEBGCXGO pantalla de señalización Pantalla plana de señalización digital 139.7 cm (55") LCD Wifi 500 cd / m² 4K Ultra HD Procesador incorporado Tizen 24/7

Marca : Samsung Familia de productos: QMC Código del producto: LH55QMCEBGCXGO

NI W COLLETION

Nombre del producto:

LH55QMCEBGCXGO

Samsung LH55QMCEBGCXGO. Diseño de producto: Pantalla plana de señalización digital. Diagonal de la pantalla: 139.7 cm (55"), Tecnología de visualización: LCD, Resolución de la pantalla: 3840 x 2160 Pixeles, Brillo de pantalla: 500 cd / m², Tipo HD: 4K Ultra HD. Wifi. Horas de funcionamiento (horas/días): 24/7. Sistema operativo instalado: Tizen



Display		Design	
Panel type Display diagonal * Display technology * Display resolution *	VA 139.7 cm (55") LCD 3840 x 2160 pixels	Bezel width (side) Bezel width (top) Anti-glare screen Mounting type	1.15 cm 1.15 cm ✓ Wall
Display brightness *	500 cd/m <sup>2</sup>	Performance	
HD type * Touchscreen * Native aspect ratio Response time Contrast ratio (typical) Dynamic contrast ratio marketing name Viewing angle, horizontal	4K Ultra HD  X 16:9 8 ms 4000:1 Mega Contrast 178°	Purpose * Multi-display supported Multicast support Operating hours (hours/days) HDCP International Protection (IP) code HDCP version	Commercial  ✓  24/7  ✓  IP5X 2.2
Viewing angle, vertical	178°	Power	
Display number of colours Pixel pitch Active display area (W x H) Number of displays Colour saturation Horizontal scan range	1 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 1 72% 30 - 81 kHz	Power consumption (typical) * Power consumption (standby) * Power consumption (sleep) AC input voltage AC input frequency	154 W 0.5 W 0.5 W 100 - 240 V 50 / 60 Hz
Vertical scan range	48 - 75 Hz	Computer system	
Haze rate	25%	Computer system *	<b>✓</b>
Ports & interfaces		Computer system type	System on Chip (SoC)
HDMI ports quantity * HDMI version HDMI input ports quantity DVI port * DisplayPorts quantity * DisplayPorts in	3 2.0 3 <b>X</b> 1	Built-in processor *  Processor frequency Internal memory Internal storage capacity Operating system installed Operating system version	1.6 GHz 16 GB 16 GB Tizen 7.0
USB port *	✓	Weight & dimensions	
USB ports quantity USB version Ethernet LAN *	2 2.0 •	Display width Display depth Display height	1237.9 mm 28.5 mm 708.8 mm

Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports	1	Display weight	15.7 kg
Wi-Fi *	✓	Packaging data	
Audio (L/R) out	1	Package weight	19.9 kg
RS-232 interface	✓	Packaging content	
Infrared data port	<b>✓</b>	Remote control included	1
Audio		Batteries included	1
Built-in speaker(s) *  Number of built-in speakers  2	Cables included	RS-232	
		Operational conditions	
RMS rated power	10 W	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design * Placement supported *	Digital signage flat panel Indoor	Certificates	
Orientation	Horizontal/Vertical	Certification	EMC Class B
VESA mounting *	✓	Features	
<b>.</b>	200 x 200 mm	Wall mountable	✓
	1.15 cm	Technical details	
		Sustainability certificates	ENERGY STAR, EPEAT Bronze

