Samsung Galaxy S20+ SM-G985F 17 cm (6.7") Android 10 4G USB Tipo C 8 GB 128 GB 4500 mAh Negro

Marca : Samsung Familia de productos: Galaxy G985FZKDEUA Código del producto: SM-

Nombre del producto: SM-

G985F

Samsung Galaxy S20+ SM-G985F. Diagonal de la pantalla: 17 cm (6.7"), Resolución de la pantalla: 3200 x 1440 Pixeles. Frecuencia del procesador: 2.73 GHz, Familia de procesador: Samsung Exynos, Modelo del procesador: 990. Capacidad de RAM: 8 GB, Tipo de RAM: LPDDR5, Capacidad de almacenamiento interno: 128 GB. Resolución de la cámara trasera (numérica): 12 MP, Tipo de cámara trasera: Cámara cuádruple. Sistema operativo instalado: Android 10. Capacidad de batería: 4500 mAh. Color del producto: Negro. Peso: 186 g





Display		Network	
Display diagonal *	17 cm (6.7")	MIMO	✓
Screen shape	Curved edge screen	Near Field Communication (NFC)	✓
Display technology marketing name Panel type	Dynamic AMOLED 2X OLED	Subscription	
Display glass type	Gorilla Glass	Subscription type *	No subscription
Gorilla Glass version	Gorilla Glass 6	Ports & interfaces	
Display resolution *	3200 x 1440 pixels	USB port	✓
Display number of colours	16 million colours	USB connector type	USB Type-C
Native aspect ratio	20:9	USB version	3.2 Gen 1 (3.1 Gen 1)
Maximum refresh rate	120 Hz	ANT+ enabled	✓
Touch technology	Multi-touch		
High Dynamic Range (HDR) supported	✓	Messaging	
High Dynamic Range (HDR)	High Dynamic Range 10+ (HDR10	Short Message Service (SMS)	✓
technology	Plus)	Multimedia Messaging Service (MMS)	✓
3D playback	✓		1
Touchscreen type	Capacitive	Instant messaging (IM)	-
Pixel density	525 ppi	Chat	✓
Rounded display corners	✓	E-mail	✓
Processor		Text prediction system	✓
	S	Design	
Processor family * Processor model *	Samsung Exynos	Form factor *	Bar
	990 8	Product colour *	Black
Processor cores	8 2.73 GHz	Colour name	Cosmic Black
Processor frequency *	2.73 GHZ	Colour Haine	COSITILE DIGCK

Dunanan		Dagina	
Processor		Design	IDG0
64-bit computing	✓	International Protection (IP) code	IP68
Processor lithography	7 nm	Protection features	Dust resistant, Water resistant
Cores frequencies	2x 2.73GHz + 2x 2.5GHz + 4x 2.0GHz	Performance	
Storage		Video call	✓
_	8 GB	Fast charging	✓
RAM capacity * RAM type	LPDDR5	Wireless charging	✓
Internal storage capacity *	128 GB	Fingerprint reader	✓
Compatible memory cards *	MicroSD (TransFlash)	Face recognition	✓
Maximum memory card size	1 TB	Personal info management (PIM)	Alarm clock, Calculator, Calendar,
USB mass storage	✓	-	Notes
Camera		Speakerphone	✓
Rear camera sensor size	1/1.76"	Flight mode	✓
Rear camera resolution (numeric) *	1/1.70 12 MP	Personalization	Icons, Menu, Shortcuts
Second rear camera resolution		Support for contact groups	✓
(numeric)	12 MP	Microphone mute	✓
Third rear camera resolution	64 MP	Themes	Wallpapers
(numeric)		USB On-The-Go support	✓
Rear camera resolution	9248 x 6936 pixels 1.8	Vibrating alert	✓
Rear camera aperture number Second rear camera aperture		Navigation	
number	2.2	Assisted GPS (A-GPS)	✓
Third rear camera aperture number	2	GPS (satellite)	✓
Fourth rear camera aperture	1	GLONASS	✓
number Rear camera pixel size	1.8 μm	BeiDou	✓
Second rear camera pixel size	1.6 μm	Galileo	,
Third rear camera pixel size	0.8 μm	Position location *	
Rear camera field of view (FOV) angle	79°	Wi-Fi positioning	/
Second rear camera field of view		Multimedia	
	120°		
(FOV) angle Third rear camera field of view		Speakers	stereo
(FOV) angle Third rear camera field of view (FOV) angle	76°	Speakers Supported video modes	720p, 1080p, 2160p, 4320p
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom	76° 3x	Speakers	720p, 1080p, 2160p, 4320p Dolby Atmos
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom	76° 3x 30x	Speakers Supported video modes Audio system	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type *	76° 3x 30x Single camera	Speakers Supported video modes	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) *	76° 3x 30x Single camera	Speakers Supported video modes Audio system Audio formats supported	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number	76° 3x 30x Single camera 10 MP 2.2	Speakers Supported video modes Audio system	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) *	76° 3x 30x Single camera 10 MP 2.2 1.22 μm	Speakers Supported video modes Audio system Audio formats supported	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle	76° 3x 30x Single camera 10 MP 2.2	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash *	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80°	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max)	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels 960 fps	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max)	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps,	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max)	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps,	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps,	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° ✓ LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@60fps	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera pixel size Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° / LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps, 3840x2160@60fps 720p, 1080p, 2160p	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type *	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@60fps, 3840x2160@60fps, 3840x2160@60fps, 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform *	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@60fps 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform * Operating system installed *	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus Zoom capability	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@60fps, 3840x2160@60fps, 3840x2160@60fps, 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform *	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus Zoom capability 3D depth rear camera	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@60fps, 3840x2160@60fps, 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform * Operating system installed *	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP Android Android 10 Google Play Gmail, Google Chrome, Google Drive, Google Maps, Google Photos,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus Zoom capability 3D depth rear camera Face detection	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@60fps 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform * Operating system installed * App distribution platform Google applications	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP Android Android 10 Google Play Gmail, Google Chrome, Google Drive, Google Maps, Google Photos, Google Play, YouTube
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus Zoom capability 3D depth rear camera Face detection Video recording	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@60fps, 3840x2160@60fps, 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform * Operating system installed * App distribution platform Google applications Virtual assistant	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP Android Android 10 Google Play Gmail, Google Chrome, Google Drive, Google Maps, Google Photos,
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Front camera field of view (FOV) angle Rear camera flash * Flash type Video capture resolution (max) Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus Zoom capability 3D depth rear camera Face detection	76° 3x 30x Single camera 10 MP 2.2 1.22 μm 80° LED 7680 x 4320 pixels 960 fps 1280x720@30fps, 1280x720@960fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@60fps, 3840x2160@60fps, 720p, 1080p, 2160p Quad camera	Speakers Supported video modes Audio system Audio formats supported Video formats supported Image formats supported Call management Call waiting Call divert Call hold Caller ID Conference call Speed dialling Call timer Software Platform * Operating system installed * App distribution platform Google applications	720p, 1080p, 2160p, 4320p Dolby Atmos 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, WMA, XMF 3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV BMP, GIF, HEIF, JPEG, PNG, WBMP, WEBP Android Android 10 Google Play Gmail, Google Chrome, Google Drive, Google Maps, Google Photos, Google Play, YouTube

Camera		Battery	
Geotagging	✓	Battery capacity *	4500 mAh
Multi-shot	✓	Talk time (4G)	23 h
Self-timer	✓	Browsing time (Wi-Fi)	17 h
Night mode	✓	Browsing time (4G)	15 h
Network		Sensors	
Mobile network generation *	4G	Proximity sensor	✓
SIM card type *	NanoSIM + NanoUSIM	Accelerometer	✓
2G standards	Edge, GPRS, GSM	Ambient light sensor	✓
3G standards *	HSDPA, HSPA+, HSUPA, UMTS	Gyroscope	✓
4G standard *	LTE	Orientation sensor	✓
Wi-Fi	✓	Barometer	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Geomagnetic sensor	✓
		Hall sensor	✓
Bluetooth *	✓	Weight & dimensions	
Bluetooth version	5.0	Width	73.7 mm
3G bands supported	850,900,1900,2100 MHz	Depth	7.8 mm
Tethering (modem-mode)	✓	Height	161.9 mm
Wi-Fi Direct	/	Weight *	186 g
		Certificates	
		Head SAR (EU)	0.376 W/kg
		Body SAR (EU)	1.57 W/kg
		Packaging content	
		AC adapter included *	✓
		Quick start guide	✓
		Warranty card	✓
		Cables included	USB Type-C
		Manual	✓
		SIM card ejector pin	✓
		Other features	
		Touchscreen	✓

