



HP Smart Tank Todo-en-uno 750

Marca : HP

Familia de productos: Smart Tank

Código del producto: 6UU47A

Nombre del producto : Todo-en-uno HP Smart Tank 750

- AAD de 35 hojas; Escanear a PDF; Impresión a doble cara
 - Impresión, copia, escaneado, fax, AAD y conexión inalámbrica
 - Print speed up to 15 ppm (black) and 9 ppm (color)
 - Hasta 1.200 x 1.200 ppp de reproducción
- Impresora multifunción HP Smart Tank 7605

HP Smart Tank Todo-en-uno 750:

Gran productividad. Grandes ahorros.

HP Smart Tank Todo-en-uno 750. Tecnología de impresión: Inyección de tinta térmica, Impresión: Impresión a color, Resolución máxima: 4800 x 1200 DPI, Velocidad de impresión (color, calidad normal, A4/US Carta): 9 ppm. Copiando: Copia a color, Resolución máxima de copia: 600 x 600 DPI. Escaneando: Escaneo a color, Resolución óptica de escáner: 1200 x 1200 DPI. Enviando por fax: Fax a color. Funciones de doble cara: Copiar, Imprimir, Escanear. Tamaño máximo de papel ISO A-series: A4. Wifi. Impresión directa. Color del producto: Gris



Printing		Paper handling	
Duplex printing mode	Auto	Maximum print size	216 x 355.6 mm
Print resolution colour	4800 x 1200 DPI	Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper
Print resolution black	1200 x 1200 DPI	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print technology *	Thermal inkjet	ISO C-series sizes (C0...C9)	C5, C6
Printing *	Colour printing	Non-ISO print media sizes	Hagaki card
Duplex printing *	✓	JIS B-series sizes (B0...B9)	B5
Maximum resolution *	4800 x 1200 DPI	Envelopes sizes	C5, C6, DL
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Borderless printing media sizes	A4, Letter
Print speed (colour, normal quality, A4/US Letter)	9 ppm	Custom media width	88.9 - 215.9 mm
Print speed (black, draft quality, A4/US Letter)	23 ppm	Custom media length	127 - 355.6 mm
Print speed (colour, draft quality, A4/US Letter)	22 ppm	Paper tray media weight	60 - 250 g/m ²
Print speed (ISO/IEC 24734) black	15 ppm	Ports & interfaces	
Print speed (ISO/IEC 24734) colour	9 ppm	Direct printing *	✓
Time to first page (black, normal)	14 s	USB port	✓
Time to first page (colour, normal)	16 s	USB 2.0 ports quantity	1
Borderless printing	✓	Network	
Copying		Wi-Fi *	✓
Duplex copying *	✓	Ethernet LAN *	✓
Copying *	Colour copying	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Maximum copy resolution *	600 x 600 DPI	Wi-Fi Direct	✓
Copy speed (black, normal quality, A4)	13 cpm	Bluetooth	✓
Copy speed (colour, normal quality, A4)	6 cpm	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Maximum number of copies	99 copies	Performance	
Copier resize	25 - 400%	Maximum internal memory	256 MB
ID-card copy function	✓	Internal memory *	256 MB
Auto fit function	✓	Built-in processor	✓
Scanning		Processor frequency	800 MHz
Duplex scanning *	✗	Sound power level (printing)	6.5 dB
		Design	

Scanning		Design	
Scanning *	Colour scanning	Product colour *	Grey
Optical scanning resolution *	1200 x 1200 DPI	Market positioning *	Home & office
Maximum scan resolution	1200 x 1200 DPI	Built-in display *	✓
Maximum scan area	216 x 297 mm	Display	LCD
Scanner type *	Flatbed & ADF scanner	Control type	Buttons
Scan technology	CIS	Power	
Scan to	Software, E-mail Server	Power consumption (sleep)	1.1 W
Image formats supported	JPG, PNG, TIFF	Power consumption (off)	0.1 W
Document formats supported	PDF	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Input colour depth	24 bit	AC input voltage	100 - 240 V
Greyscale levels	256	AC input frequency	50/60 Hz
Scan drivers	TWAIN	Brand-specific features	
Fax		HP Auto-On/Auto-Off	✓
Faxing *	Colour faxing	System requirements	
Fax resolution (black)	300 x 300 DPI	Windows operating systems supported	Windows 11, Windows 10, Windows 7
Fax resolution (colour)	200 x 200 DPI	Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 10.15 Catalina, Mac OS X 10.14 Mojave, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
Modem speed	33.6 Kbit/s	Operational conditions	
Fax memory	100 pages	Operating relative humidity (H-H)	15 - 80%
Auto-redialing	✓	Recommended humidity operating range	20 - 80%
Fax forwarding	✓	Storage temperature (T-T)	-40 - 60 °C
Fax delayed sending	✓	Operating temperature (T-T)	5 - 40 °C
Auto reduction	✓	Non-operating relative humidity (non-condensing)	5 - 90%
Features		Storage relative humidity (H-H)	5 - 90%
Recommended duty cycle	400 - 800 pages per month	Certificates	
Maximum duty cycle *	5000 pages per month	Certification	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
Duplex functions *	Copy, Print, Scan		
Number of print cartridges *	4	Sustainability	
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability compliance	✓
Page description languages	PCL 3 GUI	Sustainability certificates	Post-Consumer Recycled Plastic
All-In-One-multitasking	✓	Weight & dimensions	
Country of origin	China	Width	427.5 mm
Replacement cartridges	HP GT53 90-ml Black Original Ink Bottle 1VV22AE; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle M0H54AE; HP GT52 Magenta Original Ink Bottle M0H55AE; HP GT52 Yellow Original Ink Bottle M0H56AE; HP GT51XL 135-ml Black Original Ink Bottle X4E40AE; HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle M0H54AL; HP GT52 Magenta Original Ink Bottle M0H55AL; HP GT52 Yellow Original Ink Bottle M0H56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL; HP GT51 Black Original Ink Bottle M0H57AL; HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle M0H54AA; HP GT52 Magenta Original Ink Bottle M0H55AA; HP GT52 Yellow Original Ink Bottle M0H56AA. For more information about fill and yield see www.hp.com/go/learnaboutesupplies	Depth	364 mm
		Height	240.3 mm
HP segment	Home	Weight	7.7 kg
Input & output capacity		Packaging data	
Total number of input trays *	1	Package width	484 mm
Total input capacity *	250 sheets	Package depth	284 mm
Total output capacity *	100 sheets	Package height	410 mm
Auto document feeder (ADF)	✓	Package weight	10.7 kg
		Packaging content	
		Cables included	AC
		Warranty card	✓
		Bundled software	HP Printer Software, available online
		Logistics data	
		Pallet gross weight	428 g


Input & output capacity		Logistics data	
Auto document feeder (ADF) input capacity	35 sheets	Layers per pallet	6 pc(s)
Maximum number of input trays	1	Products per pallet	48 pc(s)
Maximum input capacity	250 sheets	Technical details	
Maximum output capacity	100 sheets	Master (outer) cases per pallet layer 8 pc(s)	
Paper handling		Other features	
Maximum ISO A-series paper size *	A4	Number of users	3 user(s)
		Pallet dimensions (W x D x H)	1220 x 1016 x 2590 mm
		Recommended system requirements	Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
		PictBridge	✗
		Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2590.8 mm (48 x 40 x 102")
		Number of print heads	2



0195908303138




195908303138



0195908303145




195908303145



0195908303152




195908303152



0195908303169




195908303169



0195908303183



195908303183



0195908303190




195908303190



0195908303206




195908303206



0195908303213




195908303213



0195908303220




195908303220



0195908303237




195908303237



0195908303114



195908303114



0195908303121



195908303121



0197029095527



197029095527



0198701537151



198701537151

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.