



BenQ LW650 Proyector de alcance estándar 4000 lúmenes ANSI DLP WXGA (1280x800) Blanco

Marca : BenQ

Código del producto: 9H.JS677.13L

Nombre del producto : LW650

- USB Tipo-C con modo ALT, ahorrando espacio sin necesidad de conectores adicionales
- Capacidad de presentación inalámbrica con dongle WiFi opcional
- El Modo SmartEco ahorra hasta un 70% de energía
- Hasta 20,000 horas de vida útil de la fuente de luz láser sin necesidad de reemplazar la lámpara DLP, 4000 ANSI, WXGA 1280x800, 16:10, HDMI, USB A, USB C, 100 - 240 V, 50/60 Hz, 200W
BenQ LW650. Brillo de proyector: 4000 lúmenes ANSI, Tecnología de proyección: DLP, Resolución original del proyector: WXGA (1280x800). Tipo de fuente de luz: Laser, Vida útil de la fuente de luz: 20000 h, Vida útil de la fuente de luz (modo económico): 20000 h. Alcance de zoom: 1.3:1, Relación de alcance: 1.21 - 1.57, Compensar: 102.5%. Tipo de serie de interfaz: RS-232, Tipo de conector HDMI: De tamaño completo, Versión HDMI: 2.0b. Nivel de ruido: 34 Db, Nivel de ruido (modo económico): 28 Db, País de origen: China



Projector		Features	
Projector brightness *	4000 ANSI lumens	Noise level *	34 dB
Projection technology *	DLP	Country of origin	China
Projector native resolution *	WXGA (1280x800)	High Dynamic Range (HDR) supported	✓
Contrast ratio (typical) *	3000000:1	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Native aspect ratio *	16:10	Multimedia	
Keystone correction, horizontal	30°	Built-in speaker(s) *	✓
Keystone correction, vertical	30°	RMS rated power	10 W
Light source		Design	
Light source type *	Laser	Market positioning *	Business
Service life of light source *	20000 h	Product type *	Standard throw projector
Service life of light source (economic mode)	20000 h	Product colour *	White
Lens system		Display	
Zoom capability	✓	Built-in display *	✗
Zoom ratio	1.3:1	Colour depth	30 bit
Throw ratio	1.21 - 1.57	Power	
Offset	102.5%	Power source *	AC
Video		Power consumption (typical) *	200 W
Full HD *	✓	Power consumption (standby) *	0.5 W
Ports & interfaces		AC input voltage	100 - 240 V
HDMI connector type	Full-size	AC input frequency	50 - 60 Hz
HDMI version	2.0b	Cord length	1.8 m
USB 2.0 ports quantity	2	Operational conditions	
USB 2.0 Type-A ports quantity	2	Operating temperature (T-T)	0 - 40 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1		
Serial interface type *	RS-232		

Ports & interfaces		Weight & dimensions	
PC Audio out	✓	Width	303.5 mm
HDMI ports quantity *	2	Depth	224.7 mm
Network		Height	112.4 mm
Ethernet LAN *	✗	Weight *	3 kg
Storage		Package width	170 mm
Card reader integrated *	✗	Package depth	410 mm
Features		Package height	340 mm
Noise level (economic mode)	28 dB	Package weight	4 kg
HDCP	✓	Packaging content	
		Remote control included *	✓
Technical details			
		Products per pallet (EU)	64 pc(s)
Logistics data			
		Harmonized System (HS) code	8528620000

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date