

Samsung LH43QMCEBGCXGO pantalla de señalización Pantalla plana de señalización digital 108 cm (42.5") LCD Wifi 500 cd / m² 4K Ultra HD Procesador incorporado Tizen 24/7

Marca : Samsung Código del producto: LH43QMCEBGCXGO

Nombre del producto : LH43QMCEBGCXGO



Display		Design	
Panel type	VA	Bezel width (top)	1.39 cm
Display diagonal *	108 cm (42.5")	Anti-glare screen	✓
Display technology *	LCD	Mounting type	Wall
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	500 cd/m²	Purpose *	Commercial
HD type *	4K Ultra HD	Multi-display supported	✓
Touchscreen *	✗	Multicast support	✓
Native aspect ratio	16:9	Operating hours (hours/days)	24/7
Contrast ratio (typical)	4000:1	HDCP	✓
Dynamic contrast ratio marketing name	Mega Contrast	International Protection (IP) code	IP5X
Viewing angle, horizontal	178°	HDCP version	2.2
Viewing angle, vertical	178°	Power	
Display number of colours	1 billion colours	Power consumption (typical) *	330 W
Pixel pitch	0.487 x 0.487 mm	Power consumption (standby) *	0.5 W
Number of displays	1	Power consumption (sleep)	0.5 W
Colour saturation	72%	AC input voltage	100 - 240 V
Horizontal scan range	30 - 81 kHz	AC input frequency	50/60 Hz
Vertical scan range	48 - 75 Hz	Computer system	
Haze rate	25%	Computer system *	✓
Ports & interfaces		Computer system type	System on Chip (SoC)
HDMI ports quantity *	3	Built-in processor *	✓
HDMI version	2.0	Processor frequency	1.6 GHz
HDMI input ports quantity	3	Internal storage capacity	16 GB
DVI port *	✗	Operating system installed	Tizen
DisplayPorts quantity *	1	Operating system version	7.0
DisplayPorts in	1		
USB port *	✓		

Ports & interfaces		Weight & dimensions	
USB ports quantity	2	Display width	969.5 mm
USB version	2.0	Display depth	28.5 mm
Ethernet LAN *	✓	Display height	557.8 mm
Ethernet LAN (RJ-45) ports	1	Packaging data	
Wi-Fi *	✓	Package width	667 mm
Audio (L/R) out	1	Package depth	126 mm
RS-232 interface	✓	Package height	1093 mm
Infrared data port	✓	Packaging content	
Audio		Remote control included	✓
Built-in speaker(s) *	✓	Batteries included	✓
Number of built-in speakers	2	Cables included	RS-232
RMS rated power	10 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Certificates	
Orientation	Horizontal/Vertical	Certification	EMC - Class B, Safety - 60950-1, 62368-1
VESA mounting *	✓	Features	
Panel mounting interface	200 x 200 mm	Wall mountable	✓
Bezel width (bottom)	1.39 cm	Technical details	
Bezel width (side)	1.39 cm	Sustainability certificates	ENERGY STAR, EPEAT Bronze

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date