

EZVIZ H8c Esférico Cámara de seguridad IP Interior y exterior 1920 x 1080 Pixeles Techo/pared/Tubo

Marca : EZVIZ

Código del producto: CS-H8C(4MM)

Nombre del producto : H8c

EZVIZ H8c. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Esférico. Ángulo de visión del objetivo, horizontal: 89°, Ángulo de visión del objetivo, vertical: 46°, Ángulo de visión de la lente, diagonal: 104°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia focal fija: 4 mm







Performance		Network	
Type * Placement supported * Connectivity technology * Auto-tracking Day/night mode	ment supported *Indoor & outdoorectivity technology *Wired & Wirelesstracking✓	Channel bandwidth Frequency band Live view Number of simultaneous live view channels	20 MHz 2.4 - 2.4835 GHz ✓ 2 channels
Infrared (IR) cut-off filter	 ✓ 	Storage	
Built-in light	1	Built-in HDD *	×
Design Form factor * Spherical Mounting type * Ceiling/Wall/Pole	Card reader integrated Compatible memory cards Maximum memory card size	✓ MicroSD (TransFlash) 512 GB	
Product colour *	White	Ports & interfaces	
Weatherproof	✓	Ethernet LAN (RJ-45) ports	1
Camera		DC-in jack	1
Minimum illumination Lens viewing angle, horizontal Lens viewing angle, vertical Lens viewing angle, diagonal Tilt angle range Pan range	0 lx 89° 46° 104° 0 - 80° 0 - 350°	Security Built-in siren Password protection Video motion detection Intelligent Video Surveillance (IVS) system features	✓ ✓ ✓ Human detection
Image sensor		Anti-flicker	1
Number of sensors Optical sensor size Progressive scan Sensor type *	1 25.4 / 2.7 mm (1 / 2.7") ✓ CMOS	Heartbeat Digital watermark Configurable region	4 4 4

Lens system		Management features	
Maximum aperture number	2	Reset button	✓
Fixed focal length	4 mm	Power	
Night vision		Power source type *	DC
Night vision *	 Image: A set of the set of the	Power consumption (max)	12 W
Night vision distance	30 m	DC output voltage	12
Video		DC output current	1 A
Maximum resolution *	1920 x 1080 pixels	Operational conditions	
Video compression formats	H.264, H.265	Operating temperature (T-T)	-30 - 50 °C
Frame rate	30 fps	Operating relative humidity (H-H)	0 - 95%
Video streaming	✓	Weight & dimensions	
Noise reduction	v	Width	100 mm
Noise reduction technology	3D noise reduction	Depth	129.2 mm
Bit rate	2 Mbps	Height	149.8 mm
Digital Wide Dynamic Range (DWDR)	1	Weight	420 g
Audio		Packaging data	
Built-in speaker(s)	1	Package weight	730 g
Audio system	2-way	Sustainability	
Built-in microphone	v	Sustainability compliance	✓
Network Ethernet LAN *	4	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA, WEEE
Ethernet interface type	Fast Ethernet	Packaging content	
Wi-Fi *	1	Number of cameras *	1
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Screws included	1
Wi-Fi data rate (max)	72 Mbit/s	Drilling template included	1
Bluetooth *	×	AC adapter included	✓
		Quick start guide	v
		Waterproof connector	1

Technical details Lens mount interface

M12





6941545613284

6941545614939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.