



## EZVIZ H8c Esférico Cámara de seguridad IP Interior y exterior 1920 x 1080 Pixeles Techo/pared/Tubo

**Marca :** EZVIZ

**Código del producto:** CS-H8C(4MM)


**Nombre del producto :** H8c

EZVIZ H8c. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Esférico. Ángulo de visión del objetivo, horizontal: 89°, Ángulo de visión del objetivo, vertical: 46°, Ángulo de visión de la lente, diagonal: 104°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia focal fija: 4 mm



| Performance                    |                          | Network  |                      |
|--------------------------------|--------------------------|--|----------------------|
| Type *                         | IP security camera       | Channel bandwidth                                    | 20 MHz               |
| Placement supported *          | Indoor & outdoor         | Frequency band                                       | 2.4 - 2.4835 GHz     |
| Connectivity technology *      | Wired & Wireless         | Live view  | ✓                    |
| Auto-tracking                  | ✓                        | Number of simultaneous live view channels            | 2 channels           |
| Day/night mode                 | ✓                        | Storage  |                      |
| Infrared (IR) cut-off filter   | ✓                        | Built-in HDD *                                       | ✗                    |
| Built-in light                 | ✓                        | Card reader integrated                               | ✓                    |
| Design                         |                          | Compatible memory cards                              | MicroSD (TransFlash) |
| Form factor *                  | Spherical                | Maximum memory card size                             | 512 GB               |
| Mounting type *                | Ceiling/Wall/Pole        | Ports & interfaces                                   |                      |
| Product colour *               | White                    | Ethernet LAN (RJ-45) ports                           | 1                    |
| Weatherproof                   | ✓                        | DC-in jack   | ✓                    |
| Camera                         |                          | Security   |                      |
| Minimum illumination           | 0 lx                     | Built-in siren                                       | ✓                    |
| Lens viewing angle, horizontal | 89°                      | Password protection                                  | ✓                    |
| Lens viewing angle, vertical   | 46°                      | Video motion detection                               | ✓                    |
| Lens viewing angle, diagonal   | 104°                     | Intelligent Video Surveillance (IVS) system features | Human detection      |
| Tilt angle range               | 0 - 80°                  | Anti-flicker   | ✓                    |
| Pan range                      | 0 - 350°                 | Heartbeat  | ✓                    |
| Image sensor                   |                          | Digital watermark                                    | ✓                    |
| Number of sensors              | 1                        | Configurable region                                  | ✓                    |
| Optical sensor size            | 25.4 / 2.7 mm (1 / 2.7") |  |                      |
| Progressive scan               | ✓                        |  |                      |
| Sensor type *                  | CMOS                     |  |                      |

| Lens system                       |                                     | Management features               |  |
|-----------------------------------|-------------------------------------|-----------------------------------|--|
| Maximum aperture number           | 2                                   | Reset button                      | ✓  |
| Fixed focal length                | 4 mm                                |                                   |  |
| Night vision                      |                                     | Power                             |  |
| Night vision *                    | ✓                                   | Power source type *               | DC   |
| Night vision distance             | 30 m                                | Power consumption (max)           | 12 W   |
| Video                             |                                     | DC output voltage                 | 12   |
| Maximum resolution *              | 1920 x 1080 pixels                  | DC output current                 | 1 A  |
| Video compression formats         | H.264, H.265                        | Operational conditions            |  |
| Frame rate                        | 30 fps                              | Operating temperature (T-T)       | -30 - 50 °C  |
| Video streaming                   | ✓                                   | Operating relative humidity (H-H) | 0 - 95%  |
| Noise reduction                   | ✓                                   | Weight & dimensions               |  |
| Noise reduction technology        | 3D noise reduction                  | Width                             | 100 mm   |
| Bit rate                          | 2 Mbps                              | Depth                             | 129.2 mm   |
| Digital Wide Dynamic Range (DWDR) | ✓                                   | Height                            | 149.8 mm   |
| Audio                             |                                     | Weight                            | 420 g  |
| Built-in speaker(s)               | ✓                                   | Packaging data                    |  |
| Audio system                      | 2-way                               | Package weight                    | 730 g  |
| Built-in microphone               | ✓                                   | Sustainability                    |  |
| Network                           |                                     | Sustainability compliance         | ✓  |
| Ethernet LAN *                    | ✓                                   | Compliance certificates           | CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA, WEEE |
| Ethernet interface type           | Fast Ethernet                       | Packaging content                 |  |
| Wi-Fi *                           | ✓                                   | Number of cameras *               | 1  |
| Wi-Fi standards                   | 802.11b, 802.11g, Wi-Fi 4 (802.11n) | Screws included                   | ✓  |
| Wi-Fi data rate (max)             | 72 Mbit/s                           | Drilling template included        | ✓  |
| Bluetooth *                       | ✗                                   | AC adapter included               | ✓  |
|                                   |                                     | Quick start guide                 | ✓  |
|                                   |                                     | Waterproof connector              | ✓  |
|                                   |                                     | Technical details                 |  |
|                                   |                                     | Lens mount interface              | M12  |



6941545613284



6941545614939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date