



DELL P Series P2423DE LED display 60.5 cm (23.8") 2560 x 1440 Píxeles Quad HD LCD Negro

Marca : DELL

Familia de productos: P
Series

Código del producto:
P2423DE

Nombre del producto :

Monitor Dell 24 con
concentrador USB-C: P2423DE

- 60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS
- 5ms, 16:9, 300cd/m², 1000:1
- USB, HDMI, DisplayPort
60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS, 16:9, 300cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL P Series P2423DE LED display 60.5 cm (23.8") 2560 x 1440 Píxeles Quad HD LCD Negro:


Experimente una productividad pura en un monitor QHD de 23,8 pulgadas con conectividad extensa y ComfortView Plus.

DELL P Series P2423DE. Diagonal de la pantalla: 60.5 cm (23.8"), Resolución de la pantalla: 2560 x 1440 Píxeles, Tipo HD: Quad HD, Tecnología de visualización: LCD, Tiempo de respuesta: 5 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Concentrador USB integrado. montaje VESA, Ajustes de altura. Color del producto: Negro



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Cable lock slot *	✓
Display resolution *	2560 x 1440 pixels	Height adjustment *	✓
HD type *	Quad HD	Adjustable height (max)	15 cm
Native aspect ratio *	16:9	Pivot	✓
Display technology *	LCD	Pivot angle	90 - 90°
Panel type *	IPS	Swivelling	✓
Backlight type	W-LED	Swivel angle range	-45 - 45°
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	300 cd/m²	Tilt angle range	-5 - 21°
Response time *	5 ms	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	F
Maximum refresh rate *	60 Hz	Energy efficiency class (HDR) *	Not available
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	20 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	20 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.3 W
Response time (fast)	8 ms	Power consumption (max)	170 W
Pixel pitch	0.2058 x 0.2058 mm	Power consumption (off)	0.3 W
Pixel density	123 ppi	AC input voltage	100 - 240 V
Horizontal scan range	29 - 113 kHz	AC input frequency	50 - 60 Hz
Vertical scan range	49 - 75 Hz	Input current	2 A
Viewable size, horizontal	52.7 cm	Power supply type	Internal
Viewable size, vertical	29.6 cm	Energy efficiency scale	A to G
Viewable size diagonal	60.5 cm	European Product Registry for Energy Labelling (EPREL) code	1057583
Display diagonal (metric)	60.45 cm		

Display		Operational conditions	
High Dynamic Range (HDR) supported	✗	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	99%	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Low Blue Light technology	✓	Non-operating altitude	5000 - 12192 m
Multimedia		Weight & dimensions	
Built-in speaker(s) *	✗	Width (with stand)	537.8 mm
Built-in camera *	✗	Depth (with stand)	179.6 mm
Design		Height (with stand)	496.1 mm
Market positioning *	Business	Weight (with stand)	5.55 kg
Product colour *	Black	Width (without stand)	537.8 mm
Front bezel colour	Black	Depth (without stand)	52.1 mm
Detachable stand	✓	Height (without stand)	318.5 mm
Feet colour	Silver	Weight (without stand)	3.92 kg
Ports & interfaces		Bezel width (side)	5.48 mm
Built-in USB hub *	✓	Bezel width (top)	5.42 mm
USB upstream port type	USB Type-C	Bezel width (bottom)	1.67 cm
Number of USB Type-C upstream ports quantity	1	Packaging data	
USB Type-A downstream ports quantity	4	Package weight	7.97 kg
USB Type-C DisplayPort Alternate Mode	✓	Packaging content	
USB Power Delivery up to	90 W	Stand included	✓
HDMI *	✓	Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
HDMI ports quantity	1	Quick start guide	✓
HDMI version	1.4	Sustainability	
DisplayPorts quantity	2	Sustainability certificates	ENERGY STAR, TCO
DisplayPort version	1.4	Doesn't contain	PVC/BFR
Headphone out *	✗	Other features	
HDCP	✓	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
Network		Ethernet LAN (RJ-45) ports	1
Wi-Fi	✗	Logistics data	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



0884116417897



884116417897

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.