



## TP-Link TL-R605 enrutador Gigabit Ethernet Negro

**Marca :** TP-Link

**Código del producto:** TL-R605

**Nombre del producto :** TL-R605

TP-Link TL-R605. Estándares de red: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, Tipo de interfaz ethernet: Gigabit Ethernet, Tecnología de cableado: 10/100/1000Base-T(X). Algoritmos de seguridad: FTPES, SIPS, Funcionalidad NAT: One-to-One NAT5 Multi-Net NAT Virtual Server Port Triggering5 NAT-DMZ FTP/H.323/SIP/IPSec/PPTP.... Cables incluidos: LAN (RJ-45). Memoria Flash: 128 MB, Memoria interna: 256 MB, Sistemas operativos Windows soportados: Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows Vista, Windows XP. Color del producto: Negro, Indicadores LED: LAN, Corriente, Estado, WAN



| WAN connection                           |   | Security                            |  |
|--|---|-------------------------------------|--|
| Ethernet WAN *                           | ✓   | VPN tunnels quantity                | 20   |
| DSL WAN *                                | ✗   | NAT functionality                   | One-to-One NAT5 Multi-Net NAT Virtual Server Port Triggering5 NAT-DMZ FTP/H.323/SIP/IPSec/PPTP ALG, UPnP |
| SIM card slot *                          | ✗   |                                     |  |
| 3G/4G USB modem compatibility *          | ✓   | Packaging content                   |  |
| SFP WAN *                                | ✗   | AC adapter included                 | ✓  |
| Network                                  |   | Cables included                     | LAN (RJ-45)  |
| Networking standards *                   | IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x | Quick installation guide            | ✓  |
| Ethernet interface type *                | Gigabit Ethernet  | Features                            |  |
| Cabling technology                       | 10/100/1000Base-T(X)  | Flash memory                        | 128 MB   |
| Ethernet LAN data rates                  | 10,100,1000 Mbit/s  | Internal memory                     | 256 MB   |
| Static route                             | ✓   | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows Vista, Windows XP                   |
| VLAN support                             | ✓   | Mac operating systems supported     | MacOS  |
| Policy-based routing                     | ✓   | Linux operating systems supported   | ✓  |
| Management features                      |   | Certification                       | CE, FCC, RoHS  |
| Web-based management *                   | ✓   | Design                              |  |
| Universal Plug and Play (UPnP)           | ✓   | Product colour *                    | Black  |
| Reset button                             | ✓   | LED indicators                      | LAN, Power, Status, WAN  |
| Ports & interfaces                       |   | Power                               |  |
| Ethernet LAN (RJ-45) ports *             | 4   | Power source type                   | DC   |
| Gigabit Ethernet (copper) ports quantity | 4   | Input current                       | 1 A  |
| DC-in jack                               | ✓   | Output voltage                      | 12 V   |
| Protocols                                |   | Output current                      | 1 A  |
| DMZ support                              | ✓   |                                     |  |


| Protocols                         |             | Operational conditions            |             |
|-----------------------------------|-------------|-----------------------------------|-------------|
| DHCP server *                     | ✓           | Operating temperature (T-T)       | 0 - 40 °C   |
| Security                          | FTPES, SIPS | Storage temperature (T-T)         | -40 - 70 °C |
|                                   |             | Operating relative humidity (H-H) | 10 - 90%    |
|                                   |             | Storage relative humidity (H-H)   | 5 - 90%     |
|                                   |             | Weight & dimensions               |             |
|                                   |             | Width                             | 158 mm      |
|                                   |             | Depth                             | 101 mm      |
|                                   |             | Height                            | 25 mm       |
|                                   |             | Logistics data                    |             |
|                                   |             | Harmonized System (HS) code       | 85176990    |
| Security algorithms *             | FTPES, SIPS |                                   |             |
| Firewall                          | ✓           |                                   |             |
| URL filtering                     | ✓           |                                   |             |
| DoS attack prevention             | ✓           |                                   |             |
| ARP attack prevention             | ✓           |                                   |             |
| ICMP attack prevention            | ✓           |                                   |             |
| Access Control List (ACL)         | ✓           |                                   |             |
| Network address translation (NAT) | ✓           |                                   |             |
| System event log                  | ✓           |                                   |             |



6935364053031



0845973089597



845973089597

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date