GIGABYTE

GIGABYTE UD1300GM PG5 unidad de fuente de alimentación 1300 W 20+4 pin ATX ATX Negro

Marca : GIGABYTE

Código del producto: GP-UD1300GM PG5

Nombre del producto : UD1300GM PG5

GIGABYTE UD1300GM PG5. Potencia total: 1300 W, Voltaje de entrada AC: 100 - 240 V, Frecuencia de entrada AC: 50 - 60 Hz. Alimentador de energía para tarjeta madre: 20+4 pin ATX, Longitud del cable de alimentación de la placa base: 61 cm, Longitud del cable de alimentación SATA: 150,600 mm. Utilizar con: PC, Factor de forma de fuente de alimentación (PSU): ATX, Certificación 80 PLUS: 80 PLUS Gold. Color del producto: Negro, Tipo de enfriamiento: Activo, Diámetro de ventilador: 12 cm. Cables incluidos: CPU, PATA, Peripheral (Molex), SATA

Power

Total power *	1300 W
AC input voltage *	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	12 - 6 A
Maximum input current (@110V)	6 A
Maximum input current (@220V)	12 A
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	125 W
Combined power (+12V)	1300 W
Combined power (+5V)	125 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	17.5 W
Max output current (+3.3V)	25 A
Max output current (+12V)	108.3 A
Max output current (+5V)	25 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3.5 A
Hold time	16 ms
Efficiency	90%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage

Ports & interfaces

Motherboard power connector *	20+4 pin ATX
Motherboard power cable length	61 cm
Number of SATA power connectors	8
Number of PATA power connectors	3
SATA power cable length	150,600 mm

Ports & interfaces

PCI Express power connectors (16-pin)	1
PCI Express power cable length	70 cm
CPU power connector (4+4 pin)	✔
ATX power connector (20+4 pin)	✔
PCI Express connector	✔
Cabling type	Fully-Modular

Performance

80 PLUS certification *	80 PLUS Gold
Purpose *	PC
Power supply unit (PSU) form factor *	ATX
Noise level	40 dB
Mean time between failures (MTBF)	100000 h

Design

Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Fan location	Top
Illumination	✘

Packaging content

Cables included	CPU, PATA, Peripheral (Molex), SATA
Cable tie(s) included	✔

Certificates

Compliance certificates	CCC, CE, Federal Communications Commission (FCC), RoHS

Ports & interfaces

Peripheral (Molex) power connectors (4-pin) *	2
Peripheral (Molex) power cable length	200,600 mm
PCI Express power connectors (6+2 pin)	4

Weight & dimensions

Width	150 mm
Depth	160 mm
Height	86 mm

Packaging data

Package type	Box

Logistics data

Warranty period	5 year(s)

4719331553388