



DELL UltraSharp U2723QE LED display 68.6 cm (27") 3840 x 2160 Pixeles 4K Ultra HD LCD Plata

Marca : DELL

Familia de productos:
UltraSharp

Código del producto: DELL-
U2723QE

Nombre del producto :

Monitor Dell UltraSharp 27 4K
con concentrador USB-C -
U2723QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS

- 8ms, 16:9, 400cd/m², 2000:1

- USB, HDMI, DisplayPort


68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 400cd/m², 1.07B, 8ms, 178°/178°, 2000:1

DELL UltraSharp U2723QE LED display 68.6 cm (27") 3840 x 2160 Pixeles 4K Ultra HD LCD Plata:

Soyez plus productif sur un écran 27 pouces aux couleurs éclatantes et au contraste élevé, doté de la première technologie IPS Black du marché et d'un hub de connectivité.

DELL UltraSharp U2723QE. Diagonal de la pantalla: 68.6 cm (27"), Resolución de la pantalla: 3840 x 2160 Pixeles, Tipo HD: 4K Ultra HD, Tecnología de visualización: LCD, Tiempo de respuesta: 8 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°.

Concentrador USB integrado, Versión del concentrador USB: 3.2 Gen 2 (3.1 Gen 2). montaje VESA, Ajustes de altura. Color del producto: Plata



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Plug and Play	✓
Display resolution *	3840 x 2160 pixels	Power	
HD type *	4K Ultra HD	Energy efficiency class (SDR) *	F
Native aspect ratio *	16:9	Energy efficiency class (HDR) *	G
Display technology *	LCD	Energy consumption (SDR) per 1000 hours *	26 kWh
Panel type *	IPS	Energy consumption (HDR) per 1000 hours *	38 kWh
Backlight type	LED	Power consumption (typical) *	25.9 W
Touchscreen *	✗	Power consumption (standby) *	0.3 W
Display brightness (typical)	400 cd/m ²	Power consumption (max)	220 W
Response time *	8 ms	Power consumption (off)	0.2 W
Anti-glare screen	✓	AC input voltage	100 - 240 V
Screen shape *	Flat	AC input frequency	50 - 60 Hz
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Input current	2.7 A
Contrast ratio (typical) *	2000:1	Power supply type	Internal
Maximum refresh rate *	60 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for Energy Labelling (EPREL) code	955176
Viewing angle, vertical	178°	Operational conditions	
Display number of colours *	1.07 billion colours	Operating temperature (T-T)	0 - 40 °C
Response time (fast)	5 ms	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.1554 x 0.1554 mm	Operating relative humidity (H-H)	10 - 80%
Pixel density	163.18 ppi	Storage relative humidity (H-H)	5 - 90%
Horizontal scan range	15 - 140 kHz	Operating altitude	0 - 5000 m
Vertical scan range	23 - 86 Hz	Non-operating altitude	0 - 12192 m
Viewable size, horizontal	59.7 cm	Weight & dimensions	
Viewable size, vertical	33.6 cm	Width (with stand)	611.4 mm
Display diagonal (metric)	68.47 cm	Depth (with stand)	185 mm
High Dynamic Range (HDR) supported	✓	Height (with stand)	385.2 mm
DDC/CI	✓		
Surface hardness	3H		
Colour gamut standard	sRGB		

Display		Weight & dimensions	
sRGB coverage (typical)	100%	Weight (with stand)	6.27 kg
DCI-P3 coverage	98%	Width (without stand)	611.4 mm
Heat dissipation (typical)	98.27 BTU/h	Depth (without stand)	54.3 mm
Performance		Height (without stand)	353 mm
NVIDIA G-SYNC *	✗	Weight (without stand)	4.48 kg
AMD FreeSync *	✗	Bezel width (side)	7.35 mm
Flicker-free technology	✓	Bezel width (top)	7.35 mm
Low Blue Light technology	✓	Bezel width (bottom)	1 cm
		Stand weight	1.79 kg
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package weight	9.53 kg
Built-in camera *	✗	Packaging content	
Design		Stand included	✓
Market positioning *	Office	Cables included	AC, DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Product colour *	Silver	Quick start guide	✓
Front bezel colour	Black	Sustainability	
Feet colour	Silver	Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
Ports & interfaces		Doesn't contain	Arsenic, PVC/BFR
Built-in USB hub *	✓	Carbon footprint	
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Total carbon footprint (kg of CO2e)	815
USB upstream port type	USB Type-C	Total carbon emissions, standard deviation (kg of CO2e)	203
Number of upstream ports	2	Carbon emissions, manufacturing (kg of CO2e)	411
Number of USB Type-C upstream ports quantity	1	Carbon emissions, logistics (kg of CO2e)	85
USB Type-A downstream ports quantity	5	Carbon emissions, energy usage (kg of CO2e)	313
USB Power Delivery (USB PD)	✓	Carbon emissions, end-of-life (kg of CO2e)	5
USB Power Delivery up to	90 W	Total carbon emissions, w/o use phase (kg of CO2e)	502
HDMI *	✓	PAIA version	1.3.0
HDMI ports quantity	1	Other features	
HDMI version	2.0	Picture-by-Picture (PbP)	✓
DisplayPorts quantity	2	Maximum resolution	3840 x 2160 pixels
Audio output	✓	RJ-45 ports quantity	1
Headphone out *	✓	Heavy metals free	Hg (mercury)
Headphone outputs	1	Compliance certificates	RoHS
Headphone connectivity	3.5 mm	Power management	✓
HDCP	✓		ENERGY STAR certified Monitor. EPEAT registered where applicable. TCO Certified & TCO Certified Edge. RoHS Compliant. BFR/PVC Free monitor Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
Network		Logistics data	
Wi-Fi	✗	Harmonized System (HS) code	85285210
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	✓		




5397184567753



5704174841043



5704174841036



0884116415589



884116415589

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date