

Hisense HK578 sistema POS J6412 2 GHz 38.1 cm (15") 1024 x 768
Píxeles Pantalla táctil

Marca : Hisense

Código del producto: HK578

Nombre del producto : HK578

15" | 1024 x 768 10.4" | 800 x 600 , Dual-band 2.4GHz/5GHz, BT5.0, 2 x 3W, 349 x 252 x 332 mm

Hisense HK578 sistema POS J6412 2 GHz 38.1 cm (15") 1024 x 768 Píxeles Pantalla táctil:

UNCOMPROMISING PERFORMANCE

Delivering high-performance stability and reliability, the Hero II is an efficient choice for any retail or hospitality business. With lower power consumption, it ensures quiet operation and maximum performance.

STYLE YOUR SPACE

Stylish and compact, the Hero II is perfect for any store needing a reliable POS system with plenty of peripheral support and a rich I/O interface. Its built-in fingerprint reader and MSR are ideal for any retail setting.

YOUR PERFECT PARTNER

Our versatile Hero II POS system can be wall-mounted to save space and accommodate your specific business requirements. With various customer-display options available, it is the perfect partner to optimize your business operations while providing an enjoyable experience for both customers and staff.



Exhibición		Red	
Diagonal de la pantalla *	38.1 cm (15")	Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s
Resolución de la pantalla *	1024 x 768 Píxeles	Bluetooth *	✓
Pantalla táctil *	✓	Wifi *	✓
Tecnología touchscreen	Capacitiva	Estándares de Wi-Fi	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Relación de aspecto	4:3	Software	
Segunda pantalla	✓	Sistema operativo instalado *	✗
Diagonal del segundo monitor	26.4 cm (10.4")	Sistemas operativos Windows soportados	Windows 10, Windows 11
Procesador		Sistemas operativos Linux soportados	✓
Familia de procesador *	Intel® Celeron®	Control de energía	
Modelo del procesador *	J6412	Fuente de alimentación	60 W
Núcleos del procesador	4	Condiciones ambientales	
Frecuencia del procesador turbo	2.6 GHz	Intervalo de humedad relativa para funcionamiento	20 - 80%
Frecuencia del procesador	2 GHz	Intervalo de temperatura operativa (T-T)	0 - 40 °C
Memoria		Intervalo de temperatura de almacenaje	-20 - 60 °C
Memoria interna *	4 GB	Intervalo de humedad relativa durante almacenaje	10 - 90%
Tipo de memoria interna	DDR4-SDRAM	Ergonomía	
Memoria interna máxima	16 GB	Montaje de pared	✓
Velocidad de memoria del reloj	3200 MHz	Peso y dimensiones	
Medios de almacenaje		Ancho	349 mm
Capacidad total de almacenaje *	192 GB	Profundidad	252 mm
Unidad de almacenamiento *	SSD	Altura	332 mm
Número de unidades de almacenamiento compatibles	2	Peso	4.5 kg
Multimedia			
Altavoces incorporados	✓		
Número de altavoces	2		
Red			
Ethernet *	✓		

Sustentabilidad

Cumplimiento de la sostenibilidad	✓
Certificados de sustentabilidad	CE, Comisión Federal de Comunicaciones (FCC), RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-APR-2024. Prints or copies of Information are only valid on the printed Publication date