Shuttle P90U5 Intel® Core™ i5 i5-7200U 49.5 cm (19.5") 1600 x 900 Pixeles Pantalla táctil Negro

Marca : Shuttle Código del producto: PAB-P90U511

Nombre del producto: P90U5

Intel Core i5 7200U, 19.5" LCD Touch, 2x SO-DIMM DDR4-2133 max.32GB, 1×2.5 " SATA HDD/SSD, Gigabit LAN, WLAN, Bluetooth, 65W

Shuttle P90U5. Diagonal de la pantalla: 49.5 cm (19.5"), Resolución de la pantalla: 1600 x 900 Pixeles, Pantalla táctil. Familia de procesador: Intel® Core™ i5, Frecuencia del procesador: 2.5 GHz. Modelo de gráficos en tarjeta: Intel® HD Graphics 620. Color del producto: Negro





Display		Processor special features	
Display diagonal * Display resolution *	49.5 cm (19.5") 1600 x 900 pixels	Intel® My WiFi Technology (Intel® MWT)	✓
Touchscreen *	✓	Intel® Identity Protection Technology (Intel® IPT)	✓
Processor		Intel® Small Business Advantage	/
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor frequency Processor frequency * Thermal Design Power (TDP) Configurable TDP-up frequency Configurable TDP-down frequency Configurable TDP-down PCI Express slots version Processor socket Processor lithography Bus type Processor codename	Intel® Core™ i5 7th gen Intel® Core™ i5 i5-7200U 2 4 3.1 GHz 2.5 GHz 15 W 2.7 GHz 25 W 0.8 GHz 7.5 W 3.0 BGA 1356 14 nm OPI Kaby Lake	(Intel® SBA) Intel® Wireless Display (Intel® WiDi) Enhanced Intel SpeedStep Technology Intel® Quick Sync Video Technology Intel® Clear Video HD Technology (Intel® CVT HD) Intel Clear Video Technology Intel® Insider™ Intel® Insider™ Intel® InTru™ 3D Technology Intel® AES New Instructions (Intel® AES-NI) Intel Trusted Execution Technology Intel Enhanced Halt State Intel VT-x with Extended Page Tables (EPT)	<i>'</i>
PCI Express configurations	1x2+2x1, 1x4, 2x2, 4x1	Intel® Secure Key	
Conflict-Free processor	✓	Intel TSX-NI	×
Memory		Intel Stable Image Platform Program (SIPP)	×
Maximum internal memory *	32 GB	Intel® OS Guard	✓
Memory slots type Supported memory clock speeds	SO-DIMM 2133 MHz	Intel Software Guard Extensions (Intel SGX)	✓
Storage		Intel 64	✓
Number of storage drives supported	i 1	Execute Disable Bit	/

Storage		Processor special features	
SSD form factor	2.5"	Idle States	✓
Card reader integrated	1	Thermal Monitoring Technologies	✓
Compatible memory cards	SD, SDHC, SDXC	CPU configuration (max)	1
Graphics		Embedded options available	X
On-board graphics card *	✓	Graphics & IMC lithography	14 nm
On-board graphics card model *	Intel® HD Graphics 620	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Audio		Intel Identity Protection Technology	1.00
Audio chip	Realtek ALC269	version Intel Smart Response Technology	1.00
Network		version	1.00
Wi-Fi *	✓ 002 115 002 11 = W: F: 4	Intel Stable Image Platform Program (SIPP) version	0.00
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Intel Secure Key Technology version	1.00
Ethernet LAN *	/	Intel Virtualization Technology (VT-x)	✓
Bluetooth *	✓	Intel TSX-NI version	0.00
Bluetooth version	4.1	Power	
Ports & interfaces		AC adapter output voltage	19 V
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
USB 2.0 ports quantity *	4	Package weight	5.62 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Operational conditions	
HDMI ports quantity *	1	Operating temperature (T-T)	0 - 40 °C
HDMI version	1.4b	Operating relative humidity (H-H)	10 - 90%
VGA (D-Sub) ports quantity	1	Certificates	
Headphone outputs Microphone in	1	Certification	CE, RED, FCC, RCM, VCCI
DC-in jack	·	Sustainability	02, N25, 1 00, N011, 4 001
-	•	Sustainability certificates	ENERGY STAR
Design	Divid	-	LINEROT STAIN
Product colour * Cable lock slot	Black ✓	Packaging content	
Cable lock slot type	Kensington	AC adapter included	✓
VESA mounting	√	Quick start guide	•
Country of origin	China	Drivers included	V
Performance		Power cord included	V
Motherboard chipset	Intel SoC	Logistics data	
Software		Harmonized System (HS) code	84713000
	v	Other features	
Operating system installed *	X	Graphics card family	Intel
Processor special features		AC adapter output current	3.42 A
Intel® Smart Response Technology		Storage drive interface	Serial ATA III
Intel® Turbo Boost Technology	2.0	Power supply Power supply type	65 W External AC adapter
Intel® Hyper Threading Technology (Intel® HT Technology)	/	Safety	CB, ETL









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.