



TP-Link Omada EAP655-Wall 2402 Mbit/s Blanco Energía sobre Ethernet (PoE)

Marca : TP-Link

Familia de productos: Omada **Código del producto:** EAP655-WALL

Nombre del producto :
EAP655-Wall

TP-Link Omada EAP655-Wall. 2.4 GHz, 5 GHz, Rango máximo de transferencia de datos: 2402 Mbit/s. Algoritmos de seguridad: HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA2-Enterprise, WPA3-Enterprise. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s. Energía sobre Ethernet (PoE). Color del producto: Blanco



Features		Ports & interfaces	
2.4 GHz *	✓	WAN connection	Ethernet (RJ-45)
5 GHz *	✓	DC-in jack	✓
6 GHz *	✗	Power	
Maximum data transfer rate *	2402 Mbit/s	Power over Ethernet (PoE) *	✓
Maximum data transfer rate (2.4 GHz)	574 Mbit/s	Power consumption (typical)	12 W
Maximum data transfer rate (5 GHz)	2402 Mbit/s	Design	
Ethernet LAN data rates	10,100,1000 Mbit/s	Placement *	Wall
Frequency band	2.4, 5 GHz	Product colour *	White
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at	Cable lock slot	✗
		Reset button	✓
Cabling technology	10/100/1000Base-T(X)	LED indicators	✓
Number of users	100 user(s)	Antenna	
Automatic channel selection	✓	Antenna type *	Internal
Wi-Fi Multimedia (WMM)/(WME)	✓	Antennas quantity	2
VLAN support	✓	Antenna gain level (max)	5 dBi
Rate limiting	✓	Performance	
Wireless isolation	✓	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux
Band steering	✓	Certificates	
Airtime Fairness (ATF)	✓	Compliance certificates	RoHS
Quality of Service (QoS) support	✓	Certification	FCC, RoHS
BeamForming	✓	Weight & dimensions	
Transmitting power (CE)	20 - 23 - 26 dBm	Width	143 mm
Transmitting power (FCC)	21 - 21 dBm	Depth	86 mm
		Height	42.6 mm

Security		Packaging data	
Security algorithms *	HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA2-Enterprise, WPA3-Enterprise	Package width	117 mm
MAC address filtering	✓	Package depth	184 mm
IP address filtering	✓	Package height	56 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Package weight	400 g
Number of SSID supported	16	Package type	Box
Remote Authentication Dial-In User Service (RADIUS)	✓	Packaging content	
Access Control List (ACL)	✓	Quantity per pack	1 pc(s)
Management features		Mounting kit	✓
Web-based management	✓	Operational conditions	
Syslog	✓	Operating relative humidity (H-H)	10 - 90%
Firmware upgradeable	✓	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
Ethernet LAN (RJ-45) ports *	4	Storage relative humidity (H-H)	5 - 90%



4897098682111



4897098683576



0840030703577



840030703577

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.