Viewsonic PS502W video proyector Proyector de corto alcance 4000 lúmenes ANSI WXGA (1280x800) Blanco

Marca : Viewsonic

Código del producto: PS502W

Nombre del producto : PS502W

Viewsonic PS502W. Brillo de proyector: 4000 lúmenes ANSI, Resolución original del proyector: WXGA (1280x800), Razón de contraste (típica): 15000:1. Tipo de fuente de luz: Lámpara, Vida útil de la fuente de luz: 4000 h, Vida útil de la fuente de luz (modo económico): 12000 h. Enfoque: Manual, Distancia focal fija: 7.51 mm, Zoom digital: 2x. Señal analógica: NTSC, PAL, SECAM, Formatos gráficos soportados: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Formato de vídeo soportado: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo de serie de interfaz: RS-232, Tipo de conector HDMI: De tamaño completo, Tipo de puerto de servicio: USB tipo A



Projector		Network	
Smart projector *	×	Ethernet LAN *	×
Screen size compatibility *	1524 - 7620 mm (60 - 300") 0.67 - 3.36 m 4000 ANSI lumens WXGA (1280x800) 15000:1 1.07 billion colours	Wi-Fi *	×
Projection distance		Storage	
Projector brightness *		Card reader integrated *	X
Projector native resolution * Contrast ratio (typical) *		Features	
Number of colours			
Horizontal scan range	15 - 102 kHz	Interactive *	X
Vertical scan range	23 - 120 Hz	Noise level (economic mode)	25 dB
Keystone correction, vertical	-19 - 19°	HDCP	V
Light source		On Screen Display (OSD)	Arabia Cimplified Chinese
Light source type *	Lamp		Arabic, Simplified Chinese, Traditional Chinese, Czech, German,
Service life of light source *	4000 h		Dutch, English, Spanish, Finnish,
Service life of light source	12000 h	On Screen Display (OSD) languages	Indonesian, Italian, Korean, Polish,
(economic mode)	UHP		Portuguese, Russian, Thai, Turkish, Vietnamese
Lamp type Lamp power	240 W	Number of OSD languages	22
Lamps quantity	1 lamp(s)	HDCP version	1.4
Lens system		Noise level *	34 dB
Focus *	Manual	Air filter	1
Fixed focal length	7.51 mm	Multimedia	
F-number (relative aperture)	2.8	Built-in speaker(s) *	1
Zoom capability	1	RMS rated power	16 W
Digital zoom	2x	Design	10 11
Throw ratio	0.52	-	Education
Offset	112.4%	Market positioning * Product type *	Education Short throw projector
Video		Product colour *	White
Analog signal format system *	NTSC, PAL, SECAM	LED indicators	 Image: A set of the set of the
Full HD *	 Image: A second s	Cable lock slot	1
3D *	×	Cable lock slot type	Kensington
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Display	-
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i,	Built-in display *	×
	1080p	Power	
Ports & interfaces		Power source *	AC
HDMI connector type	Full-size	Power consumption (typical) *	295 W
HDMI version		Power consumption (standby) *	0.5 W
Service port type USB 2.0 ports quantity	USB Type-A 1	AC input voltage	100 - 240 V
	-	AC input frequency	50 - 60 Hz

Ports & interfaces		Operational conditions	
USB 2.0 Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	232 Weight & dimensions	
PC Audio in	1	Width	309 mm
PC Audio out	 Image: A second s	Depth	234 mm
PC in (D-Sub)	 Image: A set of the set of the	Height	115 mm
VGA (D-Sub) ports quantity *	2	Weight *	2.87 kg
HDMI ports quantity *	2	Package width	400 mm
DVI port *	×	Package depth	337 mm
AC (power) in	✓	Package height	168 mm
Network		Package weight	4.08 kg
Smart TV *	×	Packaging content	
		Remote control included *	1
		Remote control type	IR

Cables included Quick start guide

Warranty card

Technical details Image lag time AC, VGA

33.2 ms

•

.





766907020038

0766907020038

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.