GIGABYTE B760M K DDR4 placa base Intel B760 Express LGA 1700 Micro ATX

Marca : GIGABYTE Código del producto: B760M K DDR4

Nombre del producto: B760M K DDR4

GIGABYTE B760M K DDR4. Fabricante de procesador: Intel, Socket de procesador: LGA 1700, Procesador compatible: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... tipos de memoria compatibles: DDR4-SDRAM, Memoria interna máxima: 64 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, PCI Express 4.0, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1, 5, 10. Máxima resolución: 4096 x 2304 Pixeles. Tipo de conector USB: USB tipo A, USB Tipo C





Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Processor socket *	LGA 1700	Ethernet LAN (RJ-45) ports *	1
	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	PS/2 ports quantity	1
Compatible processor series *	Intel® Core™ i9, Intel® Pentium®	VGA (D-Sub) ports quantity *	1
	Gold	HDMI ports quantity *	1
Supported processor sockets	LGA 1700	HDMI version	2.0
Memory		DisplayPorts quantity	1
Supported memory types *	DDR4-SDRAM	DisplayPort version	1.2
Number of memory slots *	2	Headphone outputs	3
Memory slots type	DIMM	Microphone in	✓
Memory channels	Dual-channel	USB connector type	USB Type-A, USB Type-C
ECC compatibility	ECC & Non-ECC	Network	
Supported memory clock speeds	5333, 5133, 5000, 4933, 4800, 4700, 4600, 4500, 4400, 4300, 4266, 4133, 4000, 3866, 3800, 3733, 3666, 3600, 3466, 3400, 3333, 3300, 3200, 3000, 2933, 2666, 2400, 2133 MHz	Ethernet LAN Ethernet interface type Wi-Fi *	2.5 Gigabit EthernetX
Maximum internal memory *	64 GB	Features	
Unbuffered memory	√	Motherboard chipset *	Intel B760 Express
	•	Audio output channels *	7.1 channels
Storage controllers Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces	M.2, PCI Express 4.0, SATA III	Component for *	PC
RAID support	/	Motherboard form factor *	micro ATX
RAID levels	0, 1, 5, 10	Motherboard chipset family *	Intel
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Parallel processing technology	Not supported	Expansion slots	
support * Maximum resolution	4096 x 2304 pixels	PCI Express x1 slots	1

Graphics		Expansion slots	
HDCP	✓	PCI Express x16 slots	1
Number of displays supported	3	Number of M.2 (M) slots	2
Internal I/O		BIOS	
USB 2.0 connectors *	3	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS memory size	128 Mbit
		ACPI version	5.0
Number of SATA III connectors *	4	Clear CMOS jumper	✓
S/PDIF out connector	✓	Desktop Management Interface	2.7
Front panel audio connector	✓	(DMI) version	2.7
Front panel connector	✓	System Management BIOS (SMBIOS) version	2.7
ATX Power connector (24-pin)	✓	Weight & dimensions	
CPU fan connector	✓	-	220
EPS power connector (8-pin)	✓	Width	230 mm
TPM connector	/	Depth	215 mm
Serial port headers	1	Packaging content	
·		Cables included	SATA
12V power connector	•	D. allada (C. a.)	Norton Internet Security LAN
RGB LED pin header	✓	Bundled software	bandwidth management software

