

Epson OmniLink TM-T88VII 180 x 180 DPI Alámbrico Térmico
Impresora de TPV

Marca : Epson

Código del producto: C31CJ57022

Nombre del producto : OmniLink TM-T88VII

Epson OmniLink TM-T88VII. Tecnología de impresión: Térmico, Tipo: Impresora de TPV, Resolución máxima: 180 x 180 DPI. Grosor de la impresión: 48 - 80 µm, Máximo diámetro del rollo: 8.3 cm, Ancho de papel soportado: 80 mm. Tecnología de conectividad: Alámbrico, Conector USB: USB Type-A / USB Type-B, Conectividad opcional: LAN inalámbrica. Código de barras incorporado: CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A,..., Nivel de presión sonora (imprimiendo): 52 Db, Nivel de presión sonora (en espera): 52 Db. Color del producto: Negro



Printing		Power	
Maximum resolution	180 x 180 DPI	Power source type *	DC
Print speed	500 mm/sec	Power consumption (printing)	27.9 W
Character size	1.41 x 3.39 mm	AC input voltage	24 V
Printing characters	Text, Graphic, Barcode, 2D barcode	Power consumption	27900 mA
Character sets	ANK	Power consumption (standby)	1400 mA
Print technology *	Thermal	Power consumption (standby)	1.4 W
Type *	POS printer	Operational conditions	
Paper handling		Operating temperature (T-T)	5 - 45 °C
Printing media thickness	48 - 80 µm	Operating relative humidity (H-H)	10 - 90%
Maximum roll diameter	8.3 cm	Storage relative humidity (H-H)	10 - 90%
Supported paper width	80 mm	System requirements	
Media thickness	48 - 80 mm	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
Ports & interfaces		Weight & dimensions	
USB port *	✓	Width	145 mm
USB connector	USB Type-A / USB Type-B	Depth	195 mm
Connectivity technology *	Wired	Height	148 mm
Near Field Communication (NFC)	✓	Weight	1.7 kg
Optional connectivity	Wireless LAN	Packaging data	
Network		Quantity per pack	1 pc(s)
Ethernet LAN *	✓	Package width	195 mm
Wi-Fi *	✗	Package depth	235 mm
Features		Package height	260 mm
Built-in barcodes *	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E	Package weight	2.7 kg
Sound pressure level (printing)	52 dB	Print technology	
		Column capacity	42/56

Features		Logistics data	
Sound pressure level (standby)	52 dB	Pallet weight (UK)	0 g
Mean time between failures (MTBF)	360000 h	Products per pallet	112 pc(s)
Autocutter durability	3 million cuts	Pallet gross weight	0 g
Paper save function	✓	Products per pallet (UK)	168 pc(s)
Print head life	200 km	Technical details	
Mounting position	Horizontal/Vertical	Changeable interface	✓
Wall mountable	✓	Lifetime	20000000 lines
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Other features	
Certification	CE	Buffer size	4 KB
Design		Mean cycles between failures (MCBF)	70000000
Product colour *	Black		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date