



TP-Link Archer AX80 router inalámbrico Gigabit Ethernet Doble banda (2,4 GHz / 5 GHz) Negro

Marca : TP-Link

Código del producto: 0840030707957

Nombre del producto : Archer AX80

TP-Link Archer AX80. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Máximo estándar Wi-Fi: Wi-Fi 6 (802.11ax), Tasa de transferencia de datos WLAN (máx.): 5952 Mbit/s. Tipo de interfaz Ethernet LAN: Gigabit Ethernet, Ethernet LAN, velocidad de transferencia de datos: 1000,2500 Mbit/s, Estándares de red: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n. Algoritmos de seguridad: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Tipo de producto: Router de mesa, Color del producto: Negro. Certificados de cumplimiento: Comisión Federal de Comunicaciones (FCC), RoHS



WAN connection		Management features	
Ethernet WAN *	✓	Quality of Service (QoS) support	✓
DSL WAN *	✗	Reset button	✓
SIM card slot *	✗	WPS push button	✓
3G/4G USB modem compatibility *	✗	Security	
Wireless LAN features		Security algorithms	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Firewall	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Guest access	✓
WLAN data transfer rate (max) *	5952 Mbit/s	Access Control List (ACL)	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	DMZ support	✓
WLAN data transfer rate (first band)	1148 Mbit/s	Protocols	
WLAN data transfer rate (second band)	4804 Mbit/s	DHCP client	✓
Network		Universal Plug and Play (UPnP)	✓
Ethernet LAN *	✓	Design	
Ethernet LAN interface type *	Gigabit Ethernet	Product colour	Black
Ethernet LAN data rates	1000,2500 Mbit/s	On/off switch	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n	Product type *	Tabletop router
Port forwarding	✓	Certificates	
Port triggering	✓	Compliance certificates	Federal Communications Commission (FCC), RoHS
Dynamic DNS (DDNS)	✓	Packaging content	
Number of guest networks (2.4 GHz)	1	Cables included	LAN (RJ-45)
Number of guest networks (5 GHz)	1	Quick installation guide	✓
Support Samba (storage)	✓	Antenna	
Built-in FTP server	✓	Antenna design *	External

Network		Antenna	
VPN server	OpenVPN,PPTP,L2TP	Antennas quantity	8
Media server	✓	Power	
Ports & interfaces		Power source type *	DC
Ethernet LAN (RJ-45) ports *	5	Output voltage	12 V
USB port *	✓	Output current	3.3 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	10 - 90%
		Weight & dimensions	
		Width	277.3 mm
		Depth	183.9 mm
		Height	57.3 mm
		Other features	
		USB ports quantity	1



0840030707957



840030707957

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date