



EZVIZ CS-E6 cámara de vigilancia Foco Cámara de seguridad IP Interior 2880 x 1620 Pixeles Escritorio

Marca : EZVIZ

Código del producto: CS-E6

Nombre del producto : CS-E6

CMOS 1/2,7", 2880 x 1620, wifi, 25 fps

EZVIZ CS-E6. Tipo: Cámara de seguridad IP, Colocación compatible: Interior, Tecnología de conectividad: Inalámbrico. Tipo de montaje: Escritorio, Color del producto: Negro, Gris, Factor de forma: Foco. Ángulo de visión del objetivo, horizontal: 87°, Ángulo de visión del objetivo, vertical: 48°, Ángulo de visión de la lente, diagonal: 103°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 10 m



Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor	Ethernet interface type	Fast Ethernet
Connectivity technology *	Wireless	Wi-Fi *	✓
Wide Dynamic Range (WDR)	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Day/night mode	✓	Channel bandwidth	40 MHz
Operating frequency	2400 - 5835 MHz	Storage	
Dynamic range	80 dB	Built-in HDD *	✗
Certification	UL/CE/RoHS/WEEE/REACH/FCC/UKCA	Card reader integrated	✓
Design		Compatible memory cards	MicroSD (TransFlash)
Form factor *	Bulb	Maximum memory card size	512 GB
Mounting type *	Desk	Ports & interfaces	
Product colour *	Black, Grey	Ethernet LAN (RJ-45) ports	1
Camera		Security	
Lens viewing angle, horizontal	87°	Password protection	✓
Lens viewing angle, vertical	48°	Security algorithms	WPA, WPA2-PSK
Lens viewing angle, diagonal	103°	Anti-flicker	✓
Tilt angle range	0 - 75°	Mirror	✓
Pan range	0 - 350°	Digital watermark	✓
Image sensor		Power	
Number of sensors	1	Power source type *	DC
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power consumption (max)	8 W
Sensor type *	CMOS	DC output voltage	5
Lens system		DC output current	2 A
Zoom capability	✓	Operational conditions	
Night vision		Operating temperature (T-T)	-10 - 45 °C
Night vision *	✓	Operating relative humidity (H-H)	0 - 95%
Night vision distance	10 m		

Video		Weight & dimensions	
Maximum resolution *	2880 x 1620 pixels	Width	95.8 mm
Total megapixels *	5 MP	Depth	95.8 mm
Video compression formats	H.264, H.265	Height	90.6 mm
Frame rate	25 fps	Weight	252 g
Noise reduction	✓	Packaging data	
Noise reduction technology	3D noise reduction	Package width	116 mm
Image quality adjustment	DNR	Package depth	116 mm
Back Light Compensation (BLC)	✓	Package height	164 mm
Audio		Package weight	513 g
Audio system	2-way	Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date