Dahua Technology WizSense DHI-NVR5216-8P-EI grabadora de vídeo en red (NVR) Negro

Marca : Dahua Technology

Familia de productos: WizSense

Código del producto: DHI-NVR5216-8P-EI

Nombre del producto : DHI-NVR5216-8P-EI

Dahua Technology WizSense DHI-NVR5216-8P-EI. Canales de entrada de vídeo: 16 canales, Máxima resolución: 3840 x 2160 Pixeles, Modos de grabación de vídeo: 720p, 1080p, 2160p. Capacidad máxima de almacenaje: 20 TB, Interfaz del HDD: SATA. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s. Color del producto: Negro, Productos compatibles: Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, CP Plus, Dynacolor, Honeywell, Panasonic,..., Certificación: FCC: 47 CFR FCC Part15, SubpartB, Class A CE-EMC: EN 55032: 2015+A1: 2020; EN IEC 61000-3-2:.... Voltaje de entrada AC: 100 - 240 V, Frecuencia de entrada AC: 47 - 63 Hz, Potencia por puerto de alimentación a través de Ethernet (PoE): 25.5 W

Performance	
Video input channels *	16 channels
Alarm input channels	4
Alarm output channels	2
Video recording modes	720p, 1080p, 2160p
Maximum resolution *	3840 x 2160 pixels
Supported resolutions	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
Video motion detection	✔
Audio formats supported	G.711 A-law, G.711 µ-law, G.726, PCM
Video formats supported	H.264, H.264+, H.265, H.265+, M-JPEG
Operating system installed	Embedded LINUX
Face detection	✔

Hard drive	
Number of HDDs supported	2
Maximum storage capacity *	20 TB
HDD interface *	SATA

Ports & interfaces	
Ethernet LAN (RJ-45) ports *	1
Power over Ethernet (PoE)	✔
Ethernet LAN data rates	10,100,1000 Mbit/s
Power over Ethernet (PoE) ports quantity	8
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1

Features	
On/off switch	✔
Product colour	Black
Compatible products	Dahua, Arecont Vision, AXIS, Bosch, Brickcom, Canon, CP Plus, Dynacolor, Honeywell, Panasonic, Pelco, Samsung, Sanyo, Sony, Videotec
Certification	FCC: 47 CFR FCC Part15, SubpartB, Class A CE-EMC: EN 55032: 2015+A1: 2020; EN IEC 61000-3-2: 2019+A1: 2021; EN 61000-3-3: 2013+A1: 2019+A2: 2021; EN 55035: 2017+A11: 2020; EN 50130-4: 2011+A1: 2014 CE-LVD: EN 62368-1: 2014

Processor	
Built-in processor	✔

Power	
AC input voltage	100 - 240 V
AC input frequency	47 - 63 Hz
Power over Ethernet (PoE) power per port	25.5 W

System requirements	
Mobile operating systems supported	Android, iOS

Operational conditions	
Operating temperature (T-T)	-10 - 65 °C
Operating relative humidity (H-H)	10 - 93%
Storage temperature (T-T)	-20 - 60 °C

Ports & interfaces	
RS-485 ports	1
RS-232 interface	✔

Features	
Rack mounting	✔

Weight & dimensions	
Width	375 mm
Depth	329.4 mm
Height	53 mm
Weight	2.57 kg
Package width	451 mm
Package depth	147 mm
Package height	425 mm
Package weight	3.8 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date