

Samsung QM75B Pantalla plana de señalización digital 190.5 cm (75") VA Wifi 500 cd / m² 4K Ultra HD Negro Tizen 6.5 24/7

Marca : Samsung

Código del producto: LH75QMBEBGCXZA

Nombre del producto : QM75B



Samsung QM75B. Diseño de producto: Pantalla plana de señalización digital. Diagonal de la pantalla: 190.5 cm (75"), Tecnología de visualización: VA, Resolución de la pantalla: 3840 x 2160 Píxeles, Brillo de pantalla: 500 cd / m², Tipo HD: 4K Ultra HD. Wifi. Horas de funcionamiento (horas/días): 24/7. Sistema operativo instalado: Tizen 6.5. Color del producto: Negro



Display		Design	
Display diagonal *	190.5 cm (75")	Bezel width (bottom)	1.25 cm
Display technology *	VA	Bezel width (side)	1.15 cm
Display resolution *	3840 x 2160 pixels	Bezel width (top)	1.15 cm
Display brightness *	500 cd/m²	Performance	
HD type *	4K Ultra HD	Operating hours (hours/days)	24/7
Native aspect ratio	16:9	HDCP	✓
Response time	8 ms	Power	
Contrast ratio (typical)	4000:1	Power consumption (typical) *	231 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Input voltage	100 - 240 V
Pixel pitch	0.42975 x 0.42975 mm	AC input voltage	100 - 240 V
Active display area (W x H)	1650.24 x 928.26 mm	AC input frequency	50 - 60 Hz
Display diagonal (metric)	189.3 cm	Computer system	
Maximum frame rate	1650.24 fps	Computer system *	✓
Horizontal scan range	30 - 81 kHz	Computer system type	System on Chip (SoC)
Vertical scan range	48 - 75 Hz	Internal memory	16 GB
Haze rate	44%	Operating system installed	Tizen 6.5
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	3	Display width	1681.1 mm
HDMI version	2.0	Display depth	49.7 mm
HDMI input ports quantity	3	Display height	960.1 mm
DisplayPorts quantity *	1	Display weight	38.3 kg
DisplayPorts in	1	Packaging data	
USB port *	✓	Package width	1871 mm
USB ports quantity	2	Package depth	223 mm
Ethernet LAN *	✓	Package height	1127 mm
Ethernet LAN (RJ-45) ports	1	Package weight	49 kg
Wi-Fi *	✓	Packaging content	
Audio (L/R) out	1	Remote control included	✓
PC Audio in	✗		
RS-232 interface	✓		
Remote (IR) input	1		

Design		Packaging content	
Product design *	Digital signage flat panel	Batteries included	✓
Orientation	Horizontal/Vertical	Operational conditions	
Product colour *	Black	Operating temperature (T-T)	0 - 40 °C
VESA mounting *	✓	Operating relative humidity (H-H)	10 - 80%
Panel mounting interface	400 x 400 mm	Certificates	
		Certification	EMC, 60950-1, 62368-1
		Technical details	
		Compliance certificates	REACH, RoHS, WEEE

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date