GIGABYTE B760 GAMING X AX placa base Intel B760 Express LGA 1700 ATX

Marca : GIGABYTE Código del producto: B760
GAMING X AX

Nombre del producto : B760 GAMING X AX Placa Base - Compatible con procesadores Intel Core de 14^a generación, VRM digital de 8+1+1 fases, hasta 7600MHz DDR5 (OC), 3x PCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2



B760 GAMING X AX Placa Base - Compatible con procesadores Intel Core de 14^{2} generación, VRM digital de 8+1+1 fases, hasta 7600MHz DDR5 (OC), 3x PCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

GIGABYTE B760 GAMING X AX placa base Intel B760 Express LGA 1700 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor			Rear panel I/O ports	
Processor manufacturer *		Intel	WiFi-AP antenna jack	2
Processor socket *		LGA 1700	USB connector type	USB Type-A, USB Type-C
Compatible processor series *		Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold LGA 1700	Network	
			Ethernet LAN	✓
			Ethernet interface type	2.5 Gigabit Ethernet
Supported processor sockets		LGA 1700	Wi-Fi *	✓
Memory Supported memory types *	DDR5-SDRAM		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Number of memory slots * Memory slots type Memory channels ECC compatibility	4 DIMM Dual-channel ECC & Non-ECC		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4000,4800,5200,5400, MHz	5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600	WLAN controller model	Intel Wi-Fi 6E AX211
Supported memory clock speed (max)	7600 MHz		Bluetooth	✓
Maximum internal memory * Unbuffered memory	256 GB ✓		Bluetooth version	5.2
Storage controllers			Features	
Supported storage drive types		HDD & SSD	Motherboard chipset *	Intel B760 Express
Supported storage drive interfaces *		M.2, SATA III	Audio output channels *	7.1 channels
Number of HDDs supported		4	Product colour	Brown
Number of storage drives supported			PC health monitoring	Fan, Temperature, Voltage, Water cooling
RAID support		0, 1, 5, 10	Component for *	PC
RAID levels			Motherboard form factor *	ATX
Graphics			Motherboard chipset family *	Intel
Parallel processing technology support *		Not supported	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Maximum resolution		4096 x 2304 pixels	Expansion slots	
HDCP		✓	PCI Express x16 (Gen 4.x) slots	1
DirectX version		12.0	Number of M.2 (M) slots	3
			1st M.2 largest key size	22110
			3 ,	•

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	1st M.2 highest PCI Express generation	4.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	2nd M.2 largest key size	22110
JSB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	2nd M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	3rd M.2 largest key size	22110
Total number of SATA connectors	4	3rd M.2 highest PCI Express	4.0
S/PDIF out connector	✓	generation	
Front panel audio connector	✓	BIOS	
Front panel connector	✓	BIOS type *	UEFI AMI
ATX Power connector (24-pin)	✓	BIOS memory size ACPI version	256 Mbit 5.0
CPU fan connector	✓	Clear CMOS jumper	5. 0 ✓
EPS power connector (8-pin)	✓	Desktop Management Interface	
TPM connector	✓	(DMI) version	2.7
Serial port headers	1	System Management BIOS	2.7
12V power connector	✓	(SMBIOS) version	
RGB LED pin header	✓	Logistics data	
Rear panel I/O ports		Country of origin Products per shipping (inner) case	China 1 pc(s)
USB 2.0 ports quantity *	5	Battery	- P = (=)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-C	1	Lithium weight per battery	0.07 g
ports quantity *		Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
HDMI ports quantity *	1	Packaging data	
HDMI version DisplayPorts quantity	2.0 1	Package width	335 mm
DisplayPort version	1.2	Package depth	270 mm
Headphone outputs	6	Package height	80 mm
Microphone in	✓ ·	Package weight	19 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)





4719331851774

0889523035849



889523035849

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.