



Dahua Technology Lite DH-HAC-HDBW1200RAN-Z cámara de vigilancia Domo Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Pixeles Techo/pared



Marca : Dahua Technology

Familia de productos: Lite

Código del producto: DH-HAC-HDBW1200RAN-Z

Nombre del producto : DH-HAC-HDBW1200RAN-Z

Camara Domo Antivandalica de 2 Megapixeles/ Lente Motorizado de 2.7mm a 12mm/ Super Adapt/ IR de 60 Metros/ IP67/ IK10/

Dahua Technology Lite DH-HAC-HDBW1200RAN-Z. Tipo: Cámara de seguridad CCTV, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Domo. Iluminación mínima: 0.01 Lux, Ángulo de rotación: 355°, Campo de visión horizontal (módulo térmico): 28.3 - 98.2°. Tipo de sensor: CMOS, Número de píxeles efectivos (A x V): 1920 x 1080 Pixeles. Intervalo de longitud focal: 2.7 - 12 mm, Enfoque: Motorizado, Distancia de detección (angular): 47.4 m

Performance		Night vision	
Type *	CCTV security camera	LED type	IR
Placement supported *	Indoor & outdoor	Video	
Connectivity technology *	Wired	Maximum resolution *	1920 x 1080 pixels
Wide Dynamic Range (WDR)	✓	Total megapixels *	2 MP
Day/night mode	✓	Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080)
Certification	CE-LVD: EN 62368-1; CE-EMC: EN 55032; EN 55035; FCC: 47 CFR FCC Parte 15, Subparte B UL: UL62368-1 + CAN/CSA C22.2 No. 62368-1-14	Frame rate	30 fps
		Analog signal format system	NTSC
		NTSC resolutions	1920 x 1080 pixels
		Noise reduction	✓
Design		Noise reduction technology	3D noise reduction
Form factor *	Dome	Gain control type	Auto
Mounting type *	Ceiling/wall	Privacy masking	✓
Product colour *	White	Back Light Compensation (BLC)	✓
Housing material	Metal	Digital Wide Dynamic Range (DWDR)	✓
International Protection (IP) code	IP67	Audio	
IK code	IK10	Signal-to-Noise Ratio (SNR)	65 dB
Camera		Network	
Minimum illumination	0.01 lx	Ethernet LAN *	✗
Angle of rotation	355°	Wi-Fi *	✗
Horizontal field of view (thermal module)	28.3 - 98.2°	Bluetooth *	✗
Tilt angle range	0 - 80°	Storage	
Pan range	0 - 360°	Built-in HDD *	✗
White balance	Area white balance	Ports & interfaces	
Camera shutter type	Electronic	BNC output ports	1
Camera shutter speed	1/30 s-1/100 000	Security	
Image sensor		Mirror	✓
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC
Number of effective pixels (H x V)	1920 x 1080 pixels	Power consumption (max)	4.1 W
Lens system		DC output voltage	12
Focal length range	2.7 - 12 mm	Operational conditions	
Fixed focus	✓	Operating temperature (T-T)	-30 - 60 °C
Focus	Motorized	Storage temperature (T-T)	-30 - 60 °C
Maximum aperture number	1.6		
Detect distance (wide)	47.4 m		
Detect distance (tele)	155.6 m		
Observe distance (wide)	18.9 m		

Lens system		Operational conditions	
Observe distance (tele)	62.2 m	Operating relative humidity (H-H)	0 - 95%
Recognize distance (wide)	9.5 m	Storage relative humidity (H-H)	0 - 95%
Recognize distance (tele)	31.1 m	Weight & dimensions	
Identify distance (wide)	4.7 m	Height	100 mm
Identify distance (tele)	15.6 m	Diameter	12.6 cm
Closest focusing distance	0.8 m	Weight	630 g
Night vision		Packaging data	
Night vision *	✓	Package weight	810 g
Night vision distance	60 m	Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date