


Viewsonic IFP8662 pantalla de señalización Panel plano interactivo 2.18 m (86") LED Wifi 350 cd / m² 4K Ultra HD Negro Pantalla táctil Procesador incorporado Android 8.0

Marca : Viewsonic

Código del producto: IFP8662

Nombre del producto : IFP8662

Viewsonic IFP8662. Diseño de producto: Panel plano interactivo. Diagonal de la pantalla: 2.18 m (86"), Tecnología de visualización: LED, Resolución de la pantalla: 3840 x 2160 Píxeles, Brillo de pantalla: 350 cd / m², Tipo HD: 4K Ultra HD, Pantalla táctil. Wifi. Sistema operativo instalado: Android 8.0. Color del producto: Negro



Display		Design	
Panel type	TFT-LCD	Anti-glare screen	✓
LED backlight	✓	Performance	
Display diagonal *	2.18 m (86")	Purpose *	Universal
Display technology *	LED	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	2.2
Display brightness *	350 cd/m²	Power	
HD type *	4K Ultra HD	Power consumption (typical) *	160 W
Touchscreen *	✓	Power consumption (standby) *	0.5 W
Touchscreen technology	Ultra Fine Touch (UFT)	Power consumption (max)	580 W
Number of simultaneous touchpoints	20	Energy efficiency class (SDR)	G
Multi-touch	✓	Energy consumption (SDR) per 1000 hours	200 kWh
Native aspect ratio	16:9	AC input voltage	100 - 240 V
Response time	8 ms	Energy efficiency scale	A to G
Contrast ratio (typical)	1200:1	Computer system	
Contrast ratio (dynamic)	5000:1	Computer system *	✓
Viewing angle, horizontal	178°	Computer system type	System on Chip (SoC)
Viewing angle, vertical	178°	Built-in processor *	✓
Display number of colours	1.07 billion colours	Processor architecture	ARM Cortex-A73
Active display area (W x H)	1895.04 x 1065.96 mm	Processor frequency	1.2 GHz
Surface hardness	9H	Processor cores	4
Ports & interfaces		Internal memory	3 GB
HDMI ports quantity *	5	Internal storage capacity	32 GB
HDMI version	2.0	Operating system installed	Android 8.0
HDMI input ports quantity	4	Windows operating systems supported	✓
HDMI output ports quantity	1	Weight & dimensions	
DVI port *	✗	Display width	1960 mm
VGA (D-Sub) input ports	1	Display depth	80 mm
USB port *	✓	Display height	1171 mm
USB ports quantity	9	Display weight	63.7 kg
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)		

Ports & interfaces		Packaging data	
USB connector type	USB Type-A, USB Type-B, USB Type-C	Package width	2113 mm
USB 2.0 Type-B ports quantity	2	Package depth	270 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5	Package height	1290 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Package weight	84.2 kg
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to	65 W	Remote control included	✓
USB Type-C DisplayPort Alternate Mode	✓	Batteries included	✓
Ethernet LAN *	✓	Stylus pen	✓
Ethernet LAN (RJ-45) ports	2	Number of stylus pens	2
Wi-Fi *	✓	Cables included	HDMI, Power, RS-232, USB Type-C
PC Audio in	✓	Mounting kit	✓
Microphone in	✓	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
Digital audio optical out	1	Operating relative humidity (H-H)	20 - 80%
PC Audio out	✓	Certificates	
OPS module slot	✓	Certification	cTUVus, FCC/ICES003, Energy star 8.0, EPEAT, Mexico NOM, Mexico Energy, EMC/CE, CB/LVD, GOST-R / EAC, UkrSEPRO, UKCA, LBL, Green BOM, RoHS, ErP, REACH, SCIP, WEEE, TPCH, CA65, PAIA
Audio		Technical details	
Built-in speaker(s) *	✓	OPS slot	1
Number of built-in speakers	2	Other features	
RMS rated power	24 W	Manual	✓
Design		Quick start guide	✓
Product design *	Interactive flat panel	Built-in microphone	✓
Placement supported *	Indoor	Built-in subwoofer	✓
Product colour *	Black	Mobile operating systems supported	Android
VESA mounting *	✓	Subwoofer RMS power	15 W
Bezel width (bottom)	6.39 cm	USB 2.0 ports quantity	1
Bezel width (side)	3.15 cm		
Bezel width (top)	3.88 cm		



0766907012088



766907012088

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date