

## Dahua Technology Lite DH-HAC-HDW1200TQP-A cámara de vigilancia Domo Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Pixeles Techo/pared/Tubo

Marca : Dahua Technology Familia de productos: Lite Código del producto: DH-HAC-HDW1200TQP-A

Nombre del producto : DH-HAC-HDW1200TQP-A

Dahua Technology Lite DH-HAC-HDW1200TQP-A. Tipo: Cámara de seguridad CCTV, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Negro, Blanco, Factor de forma: Domo. Iluminación mínima: 0.001 Lux, Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 102°. Tipo de sensor: CMOS. Distancia de detección: 50.9 m, Distancia de observación: 20.3 m, Distancia de reconocimiento: 10.2 m

Performance		Night vision	
,	Indoor & outdoor	Night vision * Night vision distance LED type	<b>√</b> 40 m IR
	✓	Video	
	CE-LVD: EN 62368-1; CE-EMC: EN 55032; EN 55035; FCC: 47 CFR FCC	Maximum resolution *	1920 x 1080 pixels
		Total megapixels * Frame rate	2 MP 30 fps
Design		Noise reduction	✓
Form factor * Mounting type * Product colour * Housing material	Dome Ceiling/Wall/Pole Black, White Metal, Plastic	Noise reduction technology Gain control type Privacy masking Back Light Compensation (BLC)	3D noise reduction Auto ✓
International Protection (IP) code	IP67	Digital Wide Dynamic Range (DWDR)	✓
Camera		Smart IR	✓
Minimum illumination Angle of rotation Lens viewing angle, horizontal Lens viewing angle, vertical Lens viewing angle, diagonal Tilt angle range Pan range White balance Camera shutter type Camera shutter speed Number of Privacy masking areas	0.001 lx 360° 102° 60° 129° 0 - 78° 0 - 360° Area white balance, Auto Electronic 1/25 - 1/100000 s	Audio	
		Signal-to-Noise Ratio (SNR)	65 dB
		Ports & interfaces	
		BNC output ports	1
		Security	
		Mirror	<b>✓</b>
			•
		Power	
		Power source type * Power consumption (max)	DC 3.2 W
Image sensor		DC output voltage	12
Progressive scan	✓	Operational conditions	
Sensor type *	CMOS	Operating temperature (T-T)	-40 - 60 °C
Lens system		Storage temperature (T-T)	-40 - 60 °C
Detect distance	50.9 m	Operating relative humidity (H-H)	0 - 95%
Observe distance	20.3 m	Storage relative humidity (H-H)	0 - 95%
Recognize distance 10.2 m		Weight & dimensions	
Maximum aperture number	2	Height	100.9 mm
Identify distance	5.1 m	Diameter	11 cm
Fixed focal length Closest focusing distance	3.6 mm 0.5 m	Weight	320 g
		Packaging data	
		Package weight	490 g

_				-	-
Pac	ran	เทก	-c	nto	nt
		шч	·	1116	

Number of cameras \*

1

