



Dahua Technology WizSense DH-IPC-HFW2841T-ZS cámara de vigilancia Bala (forma) Cámara de seguridad IP 3840 x 2160 Pixeles Techo/pared/Tubo

Marca : Dahua Technology

Familia de productos:
WizSense

Código del producto: DH-IPC-HFW2841T-ZS

Nombre del producto : DH-IPC-HFW2841T-ZS

Dahua Technology WizSense DH-IPC-HFW2841T-ZS. Tipo: Cámara de seguridad IP, Tecnología de conectividad: Alámbrico, Certificación: CE-LVD: EN62368-1; CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU; FCC: 47 CFR FCC.... Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Bala (forma). Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 113-31°, Ángulo de visión del objetivo, vertical: 58-18°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Intervalo de longitud focal: 2.7 - 13.5 mm

Performance		Video	
Type *	IP security camera	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Connectivity technology *	Wired	Back Light Compensation (BLC)	✓
Wide Dynamic Range (WDR)	✓	Highlight Compensation (HLC)	✓
Day/night mode	✓	Region of Interest (ROI) encoding	✓
Infrared (IR) cut-off filter	✓		
Certification	CE-LVD: EN62368-1; CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU; FCC: 47 CFR FCC Part 15, Subpart B; UL/CUL: UL62368-1 & CAN/CSA C22.2 No. 62368-1-14	Audio	
		Audio formats supported	G.711 A-law, G.711 μ-law, G.726, PCM
		Signal-to-Noise Ratio (SNR)	56 dB
Design		Network	
Form factor *	Bullet	Ethernet LAN *	✓
Mounting type *	Ceiling/Wall/Pole	Ethernet interface type	Fast Ethernet
Product colour *	White	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; PPPoE; Bonjour;P2P
Protection features	Dust resistant		
International Protection (IP) code	IP67		
Camera		Number of users	20 user(s)
Minimum illumination	0 lx	Quality of Service (QoS) support	✓
Angle of rotation	360°	Streaming method	Multicast
Lens viewing angle, horizontal	113-31°	Storage	
Lens viewing angle, vertical	58-18°	Internal memory	128 MB
Lens viewing angle, diagonal	138-36°	ROM capacity	128 MB
Tilt angle range	0 - 90°	Ports & interfaces	
Pan range	0 - 360°	Ethernet LAN (RJ-45) ports	1
White balance	Natural, Street lamp, Auto, Outdoor, Regional custom, Manual	Security	
Camera shutter type	Electronic	Video motion detection	✓
Camera shutter speed	1/3 -1/100000	Active tampering alarm	✓
Image sensor		Intelligent Video Surveillance (IVS) system features	Intrusion, Tripwire
Number of sensors	1	Management features	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Web browser	✓
Progressive scan	✓	Management software	SmartPSS Lite; DSS; DMSS
Sensor type *	CMOS	Power	
Lens system		Power source type *	DC, PoC
Focal length range	2.7 - 13.5 mm	Power consumption (typical)	2.7 W
Minimum aperture number	1.5	DC output voltage	12
Night vision			
Night vision *	✓		

Night vision		Operational conditions	
Night vision distance	30 m	Operating temperature (T-T)	-30 - 60 °C
LED type	IR	Storage temperature (T-T)	-40 - 60 °C
Video		Operating relative humidity (H-H)	0 - 95%
Maximum resolution *	3840 x 2160 pixels	System requirements	
Total megapixels *	8 MP	Mobile operating systems supported Android, iOS	
Video compression formats	H.264, H.264+, H.264B, H.264H, H.265, H.265+	Weight & dimensions	
Supported graphics resolutions	704 x 480, 1280 x 960, 2048 x 1536 (QXGA), 3840 x 2160, 2304 x 1296, 352 x 288, 352 x 240, 2688 x 1520, 1920 x 1080 (HD 1080), 2880 x 1620, 3072 x 2048, 3072 x 1728, 704 x 576, 1280 x 720 (HD 720)	Width	90.7 mm
		Depth	238.5 mm
		Height	90.7 mm
		Weight	770 g
Video streaming	✓	Packaging data	
Gain control type	Auto/Manual	Package weight	1.01 kg
Flip & mirror	✓	Packaging content	
Privacy masking	✓	Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date