



Dahua Technology WizSense DH-IPC-HDW2841TM-S cámara de vigilancia Domo Cámara de seguridad IP 3840 x 2160 Píxeles Techo/pared/Tubo

Marca : Dahua Technology

Familia de productos:
WizSense

Código del producto: DH-IPC-HDW2841TM-S

Nombre del producto : DH-IPC-HDW2841TM-S

Dahua Technology WizSense DH-IPC-HDW2841TM-S. Tipo: Cámara de seguridad IP, Tecnología de conectividad: Alámbrico, Rango dinámico: 120 Db. Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Domo. Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 106°, Ángulo de visión del objetivo, vertical: 56°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 30 m, Tipo de LED: IR

Performance		Video	
Type *	IP security camera	Privacy masking	✓
Connectivity technology *	Wired	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Wide Dynamic Range (WDR)	✓	Back Light Compensation (BLC)	✓
Day/night mode	✓	Highlight Compensation (HLC)	✓
Infrared (IR) cut-off filter	✓	Region of Interest (ROI) encoding	✓
Built-in light	✓	Audio	
Dynamic range	120 dB	Audio formats supported	G.711 A-law, G.711 µ-law, G.726, PCM
Certification	CE-LVD: EN62368-1; CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU; FCC: 47 CFR FCC Part 15, Subpart B; UL/CUL: UL62368-1 & CAN/CSA C22.2 No. 62368-1-14	Signal-to-Noise Ratio (SNR)	56 dB
Design		Network	
Form factor *	Dome	Ethernet LAN *	✓
Mounting type *	Ceiling/Wall/Pole	Ethernet interface type	Fast Ethernet
Product colour *	White	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; PPPoE; Bonjour
Protection features	Dust resistant	Number of users	20 user(s)
International Protection (IP) code	IP67	Quality of Service (QoS) support	✓
Camera		Streaming method	Multicast
Minimum illumination	0 lx	Storage	
Angle of rotation	360°	Internal memory	128 MB
Lens viewing angle, horizontal	106°	ROM capacity	128 MB
Lens viewing angle, vertical	56°	Ports & interfaces	
Lens viewing angle, diagonal	125°	Ethernet LAN (RJ-45) ports	1
Tilt angle range	0 - 90°	Security	
Pan range	0 - 360°	Video motion detection	✓
White balance	Auto, Manual, Natural, Outdoor, Regional custom, Street lamp	Active tampering alarm	✓
Camera shutter type	Electronic	Intelligent Video Surveillance (IVS) system features	Intrusion, Tripwire
Camera shutter speed	1/3 -1/100000	Management features	
Image sensor		Web browser	✓
Number of sensors	1	Management software	Smart PSS; DSS; DMSS
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power	
Progressive scan	✓	Power source type *	DC, PoC
Sensor type *	CMOS	Power consumption (typical)	2.7 W
Lens system		DC output voltage	12
Minimum aperture number	2	Night vision	
Night vision		Night vision *	✓

Night vision		Operational conditions	
Night vision distance	30 m	Operating temperature (T-T)	-40 - 55 °C
LED type	IR	Storage temperature (T-T)	-40 - 60 °C
Video		Operating relative humidity (H-H)	0 - 95%
Maximum resolution *	3840 x 2160 pixels	System requirements	
Total megapixels *	8 MP	Mobile operating systems supported	
Video compression formats	H.264, H.264+, H.264B, H.264H, H.265, H.265+	Android, iOS	
Supported graphics resolutions	352 x 240, 352 x 288, 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2048 x 1536 (QXGA), 2304 x 1296, 2688 x 1520, 2880 x 1620, 3072 x 1728, 3072 x 2048, 3840 x 2160	Weight & dimensions	
		Width	99.1 mm
Video streaming	✓	Diameter	12.2 cm
		Weight	480 g
Gain control type	Auto/Manual	Packaging data	
Flip & mirror	✓	Package weight	680 g
		Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date