



Dahua Technology HDCVI PTZ SD49218DBN-HC Domo Cámara de seguridad IP Interior y exterior 1920 x 1080 Píxeles Techo/pared

Marca : Dahua Technology

Familia de productos: HDCVI PTZ

Código del producto: DH-SD49218DBN-HC

Nombre del producto :
SD49218DBN-HC

Dahua Technology HDCVI PTZ SD49218DBN-HC. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Color del producto: Negro, Blanco, Factor de forma: Domo. Iluminación mínima: 0.0005 Lux, Ángulo de inclinación: -15 - 90°, Velocidad de preselección de la inclinación: 200 °/seg. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Zoom óptico: 18x, Zoom digital: 16x, Distancia de detección: 1241.4 m



Performance		Night vision	
Type *	IP security camera	Night vision *	✓
Placement supported *	Indoor & outdoor	Night vision distance	100 m
Connectivity technology *	Wired	LED type	IR
PTZ control	✓	Number of illumination LEDs	6
PTZ modes	5 Pattern, 5 Scan, 8 Tour, Preset point	Video	
PTZ protocols	DH-SD, Pelco-P/D	Maximum resolution *	1920 x 1080 pixels
Tour recording	✓	Total megapixels *	2 MP
Preset points	✓	Supported graphics resolutions	704 x 480, 704 x 576, 1280 x 720 (HD 720), 1920 x 1080 (HD 1080)
Wide Dynamic Range (WDR)	✓	Supported video modes	720p, 1080p
Day/night mode	✓	Frame rate	60 fps
Alarm input/output	✓	Noise reduction	✓
Design		Noise reduction technology	2D noise reduction, 3D noise reduction
Form factor *	Dome	Gain control type	Auto/Manual
Mounting type *	Ceiling/wall	Back Light Compensation (BLC)	✓
Product colour *	Black, White	Highlight Compensation (HLC)	✓
International Protection (IP) code	IP66	Audio	
Fog proof	✓	Audio input channels	1 channels
Camera		Signal-to-Noise Ratio (SNR)	50 dB
Camera pan control	✓	Network	
Camera tilt control	✓	Ethernet LAN *	✗
Minimum illumination	0.0005 lx		

Camera		Network	
Tilt angle range	-15 - 90°	Wi-Fi *	×
Tilt preset speed	200 °/sec	Bluetooth *	×
Tilt manual speed	0.1 - 120 °/sec	Storage	
Pan range	0 - 360°	Built-in HDD *	×
Pan preset speed	240 °/sec	ROM capacity	128 MB
Pan manual speed	0.1 - 200 °/sec	RAM capacity	256 MB
Auto flip	✓	Ports & interfaces	
White balance	Auto, Indoor, Manual, Natural, Outdoor, Sodium lamp, Street lamp	RS-485 ports	1
Camera shutter speed	1/3 - 1/30000 s	BNC output ports	1
Image sensor		Security	
Number of sensors	1	Alarm input channels	2
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Alarm output channels	1
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC
Lens system		Power consumption (typical)	10 W
Zoom capability	✓	Power consumption (max)	22 W
Optical zoom	18x	DC output voltage	12
Digital zoom	16x	DC output current	3 A
Number of lenses *	1	Operational conditions	
Detect distance	1241.4 m	Operating temperature (T-T)	-40 - 70 °C
Observe distance	490.3 m	Weight & dimensions	
Recognize distance	248.3 m	Height	269.9 mm
Focal length range	5 - 90 mm	Diameter	16 cm
Auto focus	✓	Weight	3 kg
Focus	Manual	Packaging data	
Maximum aperture number	2.9	Package weight	4.2 kg
Identify distance	124.1 m	Sustainability	
Minimum aperture number	1.6	Compliance certificates	CE, Federal Communications Commission (FCC), UL
Closest focusing distance	0.1 m	Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-JAN-2025. Prints or copies of Information are only valid on the printed Publication date