



Dahua Technology DHI-NVR4232-16P-4KS3 grabadora de vídeo en red (NVR) 1U Negro

Marca : Dahua Technology

Código del producto: DHI-NVR4232-16P-4KS3

Nombre del producto : DHI-NVR4232-16P-4KS3



Dahua Technology DHI-NVR4232-16P-4KS3. Canales de entrada de vídeo: 32 canales, Máxima resolución: 3840 x 2160 Píxeles, Resoluciones soportadas: 3840 x 2160, 1920 x 1080, 1280 x 1024, 1280 x 720. Capacidad máxima de almacenaje: 20 TB, Interfaz del HDD: SATA. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s, Protocolos de red compatibles: HTTP; HTTPS; TCP/IP; IPv4; IPv6; UDP; NTP; DHCP; DNS; SMTP; UPnP; IP Filter; FTP; DDNS; SNMP;.... Capacidad del rack: 1U, Color del producto: Negro. Voltaje de entrada AC: 100 - 240 V, Frecuencia de entrada AC: 50/60 Hz



Performance		Ports & interfaces	
Video input channels *	32 channels	VGA (D-Sub) output ports	1
Alarm input channels	4	USB 2.0 ports quantity	2
Alarm output channels	2	RS-232 interface	✓
Maximum resolution *	3840 x 2160 pixels	RS-232 ports	1
Supported resolutions	3840 x 2160, 1920 x 1080, 1280 x 1024, 1280 x 720	Supported network protocols	HTTP; HTTPS; TCP/IP; IPv4; IPv6; UDP; NTP; DHCP; DNS; SMTP; UPnP; IP Filter; FTP; DDNS; SNMP; Alarm Server; P2P; Auto Registration; IP Search
Video motion detection	✓	Features	
Video formats supported	H.264, H.264+, H.265, H.265+		
Operating system installed	Embedded LINUX		
Snapshot	✓	Rack mounting	✓
Input bandwidth	160 Mbit/s	Rack capacity	1U
Face detection	✓	Product colour	Black
Wireless LAN features		Power	
Wi-Fi *	✗	AC input voltage	100 - 240 V
Hard drive		AC input frequency	50/60 Hz
HDD capacity *	0 GB	Operational conditions	
Number of HDDs supported	2	Operating temperature (T-T)	-10 - 55 °C
Maximum storage capacity *	20 TB	Operating relative humidity (H-H)	10 - 93%
HDD interface *	SATA	Storage temperature (T-T)	-20 - 60 °C
Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	375 mm
Power over Ethernet (PoE)	✓	Depth	327.9 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	53 mm
Power over Ethernet (PoE) ports quantity	16	Weight	2.6 kg
HDMI ports quantity	1	Package width	451 mm
		Package depth	147 mm
		Package height	425 mm

Weight & dimensions

Package weight	3.8 kg
----------------	--------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date