

GIGABYTE B650 AERO G placa base AMD B650 Enchufe AM5 ATX

Marca : GIGABYTE

Código del producto: B650 AERO G

Nombre del producto : B650 AERO G Placa base -
Compatible con procesadores AMD Ryzen serie 9000, hasta 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

B650 AERO G Placa base - Compatible con procesadores AMD Ryzen serie 9000, hasta 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B650 AERO G placa base AMD B650 Enchufe AM5 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Microphone in	✓
Processor socket *	Socket AM5	S/PDIF out port	✓
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Wi-Fi-AP antenna jack	2
Supported processor sockets	Socket AM5	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
ECC compatibility	Non-ECC	WLAN controller model	RZ616
Supported memory clock speeds	8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Bluetooth	✓
Supported memory clock speed (max)	8000 MHz	Bluetooth version	5.2
Maximum internal memory *	256 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	AMD B650
Maximum internal memory per slot	64 GB	Audio output channels *	7.1 channels
Storage controllers		Product colour	Black
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Noise, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	7	Motherboard chipset family *	AMD
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 3.x) slots	1
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 4.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	3
USB 3.2 Gen 2x2 connectors	1	1st M.2 largest key size	25110
Number of SATA III connectors *	4	1st M.2 highest PCI Express generation	5.0
Front panel audio connector	✓	2nd M.2 largest key size	25110
Front panel connector	✓	2nd M.2 highest PCI Express generation	4.0
ATX Power connector (24-pin)	✓	3rd M.2 largest key size	25110
CPU fan connector	✓	3rd M.2 highest PCI Express generation	4.0
Number of chassis fan connectors	6	BIOS	
EPS power connector (8-pin)	✓	BIOS type *	UEFI AMI
TPM connector	✓	BIOS memory size	256 Mbit
Serial port headers	1	ACPI version	5.0
12V power connector	✓	Clear CMOS jumper	✓
Number of water pump connectors	3	Desktop Management Interface (DMI) version	2.7
Number of temperature sensor headers	2	System Management BIOS (SMBIOS) version	2.7
RGB LED pin header	✓	Logistics data	
Number of RGB LED pin headers	5	Country of origin	China
Rear panel I/O ports		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	2	Battery	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
HDMI version	2.1	Packaging data	
DisplayPorts quantity	1	Package width	335 mm
DisplayPort version	1.4	Package depth	270 mm
Line-in	✓	Package height	80 mm
		Package weight	2.49 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331848972



0889523033708



889523033708

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date