



## DELL G Series G2524H monitor de computadora 62.2 cm (24.5") 1920 x 1080 Pixeles Full HD LCD Negro

**Marca :** DELL

**Familia de productos:** G Series

**Código del producto:** G2524H

**Nombre del producto :**  
G2524H

- 62.2cm (24.5") Full HD 1920 x 1080 W-LED IPS

- 0.5ms, 16:9, 400cd/m², 1000:1

- USB, HDMI, DisplayPort

62.2cm (24.5") Full HD 1920 x 1080 W-LED IPS, 16:9, 400cd/m², 16.78M, 0.5ms, 178°/178°, 1000:1

DELL G Series G2524H. Diagonal de la pantalla: 62.2 cm (24.5"), Resolución de la pantalla: 1920 x 1080

Pixeles, Tipo HD: Full HD, Tecnología de visualización: LCD, Tiempo de respuesta: 0.5 ms, Relación de

aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Concentrador

USB integrado. montaje VESA, Ajustes de altura. Color del producto: Negro



Display		Ergonomics	
Display diagonal *	62.2 cm (24.5")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	13 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	400 cd/m²	Swivel angle range	-45 - 45°
Response time *	0.5 ms	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 21°
Screen shape *	Flat	On Screen Display (OSD)	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Plug and Play	✓
		LED indicators	✓
		Power	
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (SDR) *	E
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	280 Hz	Energy consumption (SDR) per 1000 hours *	19 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	18.5 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.78 million colours	Power consumption (max)	65 W
Response time (fast)	3 ms	Power consumption (off)	0.2 W
Pixel pitch	0.2832 x 0.2802 mm	AC input voltage	100 - 240 V
Pixel density	90 ppi	AC input frequency	50/60 Hz
Horizontal scan range	30 - 312 kHz	Input current	1.5 A
Vertical scan range	48 - 280 Hz	Power supply type	Internal
Viewable size, horizontal	30.3 cm	Energy efficiency scale	A to G
Viewable size, vertical	54.4 cm		

Display		Power	
Viewable size diagonal	62.2 cm	European Product Registry for Energy Labelling (EPREL) code	1522307
Display diagonal (metric)	62.23 cm	<b>Operational conditions</b>	
High Dynamic Range (HDR) supported	✗	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	99%	Operating relative humidity (H-H)	10 - 80%
Performance		Storage relative humidity (H-H)	5 - 90%
NVIDIA G-SYNC *	✓	Operating altitude	0 - 5000 m
NVIDIA G-SYNC type	G-SYNC Compatible	Non-operating altitude	5000 - 12192 m
AMD FreeSync *	✓	Weight & dimensions	
AMD FreeSync type	FreeSync Premium	Width (with stand)	555.4 mm
Low Blue Light technology	✓	Depth (with stand)	200.3 mm
Multimedia		Height (with stand)	505.8 mm
Built-in speaker(s) *	✗	Weight (with stand)	5.13 kg
Built-in camera *	✗	Width (without stand)	555.4 mm
Design		Depth (without stand)	65.4 mm
Market positioning *	Gaming	Height (without stand)	327.2 mm
Product colour *	Black	Weight (without stand)	3.15 kg
Front bezel colour	Black	Bezel width (side)	5.83 mm
Feet colour	Black	Bezel width (top)	5.84 mm
Ports & interfaces		Bezel width (bottom)	1.88 cm
Built-in USB hub *	✓	Packaging data	
USB upstream port type	USB Type-B	Package weight	8.18 kg
Number of upstream ports	1	Packaging content	
USB Type-A downstream ports quantity	2	Stand included	✓
HDMI *	✓	Cables included	AC, DisplayPort, USB Type-A to USB Type-B
HDMI ports quantity	1	Power adapter included	✓
HDMI version	2.1	Remote control included	✗
DisplayPorts quantity	2	Stylus included	✗
DisplayPort version	1.4	Quick start guide	✓
Headphone out *	✗	DisplayPort cable length	1.8 m
Microphone in	✗	Sustainability	
PC Audio in	✗	Sustainability compliance	✓
HDCP	✓	Doesn't contain	PVC/BFR
HDCP version	1.4	Other features	
AC (power) in	✓	Heavy metals free	Hg (mercury)
Network		Compliance certificates	RoHS
Wi-Fi	✗		
Ergonomics			
VESA mounting *	✓		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date