

GIGABYTE Z790 AORUS PRO X WIFI7 placa base Intel Z790 Express LGA 1700 ATX

Marca : GIGABYTE

Código del producto: Z790 AORUS PRO X WIFI7

Nombre del producto : Z790 AORUS PRO X WIFI7

GIGABYTE Z790 AORUS PRO X WIFI7. Fabricante de procesador: Intel, Socket de procesador: LGA 1700, Procesador compatible: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 192 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, PCI Express 4.0, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1, 5, 10. Máxima resolución: 4096 x 2304 Píxeles. Tipo de conector USB: USB tipo A, USB Tipo C



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	1
Processor socket *	LGA 1700	Microphone in	✓
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	S/PDIF out port	✓
		Wi-Fi-AP antenna jack	2
Maximum number of SMP processors	1	USB connector type	USB Type-A, USB Type-C
Supported processor sockets	LGA 1700	Network	
Maximum internal memory supported by processor	192 GB	Ethernet LAN	✓
Memory		Ethernet interface type	5 Gigabit Ethernet
Supported memory types *	DDR5-SDRAM	Wi-Fi *	✓
Number of memory slots *	4	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Memory slots type	DIMM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Memory channels	Dual-channel		
ECC compatibility	ECC & Non-ECC	WLAN controller model	Intel Wi-Fi 7 BE200
Supported memory clock speeds	4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200,8266 MHz	Bluetooth	✓
Supported memory clock speed (max)	8266 MHz	Bluetooth version	5.3
Maximum internal memory *	192 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel Z790 Express
Storage controllers		Audio chip	Realtek ALC897
Supported storage drive types	HDD & SSD	Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III	Product colour	Black
Number of HDDs supported	4	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of storage drives supported	9	Component for *	PC
RAID support	✓	Motherboard form factor *	ATX
RAID levels	0, 1, 5, 10	Motherboard chipset family *	Intel
Graphics		Power source type	ATX
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		

Graphics		Features	
Discrete graphics support	✓	Windows operating systems supported	Windows 11 x64
Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 3.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 4.x) slots	1
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 2x2 connectors	1	Number of M.2 (M) slots	5
Number of SATA III connectors *	4	BIOS	
Total number of SATA connectors	4	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	256 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
Number of EATX power connectors	2	Clear CMOS button	✓
CPU fan connector	✓	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Thunderbolt headers	2	Country of origin	Taiwan
12V power connector	✓	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 2.0 ports quantity *	2	Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2x2 Type-C ports quantity	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
HDMI ports quantity *	1	Package width	335 mm
HDMI version	2.0	Package depth	270 mm
DisplayPorts quantity	1	Package height	80 mm
DisplayPort version	1.4	Package weight	2.28 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331860141

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date