
Verbatim CDS-15 Alámbrico USB 3.2 Gen 1 (3.1 Gen 1) Type-C Negro, Gris

Marca: Verbatim Código del producto: 32171

Nombre del producto : CDS-15







Ports & interfaces		Performance	
Connectivity technology * Host interface * USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C 1 2 1	Plug and Play Housing material Country of origin	✓ Acrylonitrile butadiene styrene (ABS), Aluminium China
ports quantity *		Power	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity		Power source type Power connector Input current	USB USB Type-C 0.9 A
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Software	
USB Power Delivery (USB PD) USB Power Delivery up to	100 W	Windows operating systems supported	Windows 10, Windows 11
HDMI ports quantity * DisplayPorts quantity DisplayPort version Combo headphone/mic port Headphone outputs * Headphone connectivity	2 1 1.4 ✓ 1 3.5 mm	Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Network		Operational conditions	
Ethernet LAN * Ethernet LAN (RJ-45) ports Ethernet LAN data rates Performance	1 1000 Mbit/s	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -20 - 85 °C 20 - 90% 5 - 95%
Card reader integrated *	✓	Sustainability	
Compatible memory cards Data transfer rate HD type Maximum refresh rate Cable lock slot Cable lock slot type Product colour *	MicroSD (TransFlash), SD 10 Gbit/s 8K Ultra HD 120 Hz Kensington Black, Grey	Sustainability compliance	✓
		Weight & dimensions	
		Width Depth Height Weight	68.5 mm 168 mm 33 mm 308 g

Performance		Packaging data		
LED indicators	Status	Quantity per pack	1 pc(s)	
		Package width	115 mm	
		Package depth	220 mm	
		Package height	36 mm	
		Package weight	406 g	
		Technical details		
		Compliance certificates	REACH, RoHS	





023942321712

0023942321712

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.