Samsung AR12BSHCMWK/AX sistema de aire acondicionado dividido Sistema divisor Blanco

Marca : Samsung Código del producto: AR12BSHCMWK/AX

Nombre del producto : AR12BSHCMWK/AX

Aire Acondicionado WindFree Frío/Calor 1 Tonelada

Samsung AR12BSHCMWK/AX. Tipo: Sistema divisor, Color del producto: Blanco, Funciones de aire acondicionado: Enfriamiento, Deshumidificar, Ventilador, Calentar. Consumo energético por hora (enfriamiento): 1.34 kWh, Consumo energético por hora (calefacción): 1.01 kWh, Voltaje de entrada AC: 230 V. Tipo de unidad interna: Montar en la pared, Nivel de ruido de la unidad interior (a baja velocidad): 23 Db, Nivel de ruido de la unidad interior (a alta velocidad): 42 Db. Nivel de ruido de la unidad exterior: 48 Db, Ancho de la unidad exterior: 66 cm, Profundidad de la unidad exterior: 24.2 cm



Features		Features	
Type *	Split system	Operating temperature (heating) (T-	-10 - 24 °C
Multi-split *	×	T)	
Product colour *	White	Auto-restart	1
Air conditioner functions *	Cooling, Dehumidifying, Fan, Heating	Power	
Inverter technology *	✓	Hourly energy consumption (cooling)	1.34 kWh
Comfort sleeping mode	✓	Hourly energy consumption	1.01 kWh
Cooling energy efficiency (EER, W/W)	2.62	(heating) AC input voltage	230 V
Heating energy efficiency (COP, W/W)	3.84	AC input frequency Current (cooling)	60 Hz 6 A
Cooling capacity in watts (nominal) *	3520 W	Current (heating)	4.7 A
Cooling capacity in watts (min)	640 W	Network	
Cooling capacity in watts (max)	3990 W	Wi-Fi *	×
Heating capacity in watts (nominal) (Average heating season)	3520 W	Bluetooth *	×
Heating capacity in watts (min)	440 W	Indoor unit	
Heating capacity in watts (max)	3810 W	Indoor unit type	Wall-mountable
Cooling capacity (nominal)	12000 BTU/h	Indoor unit noise level (low speed)	23 dB
Cooling capacity (min)	2200 BTU/h	Indoor unit noise level (high speed)	42 dB
Cooling capacity (max)	13600 BTU/h	Indoor unit width	82 cm
Heating capacity (nominal)	12000 BTU/h	Indoor unit depth	21.5 cm
Heating capacity (min)	1500 BTU/h	Indoor unit height	29.9 cm
Heating capacity (max)	13000 BTU/h	Indoor unit weight	9 kg
Built-in display	✓	Indoor unit package width	88 cm
Timer	✓	Indoor unit package depth	37.5 cm
Timer duration (maximum)	24 h	Indoor unit package height	29 cm
Refrigerating medium	R410A	Indoor unit package weight	10.3 kg
Refrigerating medium weight	880 g	Outdoor unit	
Gas hose diameter	9.52 mm	Outdoor unit noise level	48 dB
Liquid hose diameter	6.35 mm	Outdoor unit width	66 cm
Air filter	/	Outdoor unit depth	24.2 cm
Dehumidifying capacity	1.5 l/h	Outdoor unit height	47.5 cm
Operating temperature (cooling) (T-	•	Outdoor unit weight	21.9 kg
T)	-5 - 46 °C	Outdoor unit package width	77.8 cm

Outdoor unit		
Outdoor unit package depth	33.1 cm	
Outdoor unit package height	55 cm	
Outdoor unit package weight	26 kg	
Packaging content		
Remote control included	✓	

