

Epson L775U 7000 lúmenes ANSI 3LCD WUXGA (1920x1200) Negro

Marca : Epson

Código del producto: V11HA96120

Nombre del producto : L775U



- El mejor brillo de color de su clase⁴ ; 7.000 lúmenes²
 - Resolución WUXGA con mejora 4K1 para imágenes claras y detalladas
 - Fuente de luz láser y filtro de aire de 20.000 horas prácticamente libres de mantenimiento³
 - Imagen de hasta 500" en diagonal en 16:10, además de ultra gran angular 16:6 y 21:9
 Proyector Láser PowerLite L775U 3LCD con mejora 4K
 Epson L775U. Brillo de proyector: 7000 lúmenes ANSI, Tecnología de proyección: 3LCD, Resolución original del proyector: WUXGA (1920x1200). Tipo de fuente de luz: Laser, Vida útil de la fuente de luz: 20000 h, Vida útil de la fuente de luz (modo económico): 30000 h. Enfoque: Manual, Intervalo de longitud focal: 20 - 31.8 mm, Rango de apertura: 1.5 - 1.7. Modos de color de vídeo: Cine, Modo de simulación DICOM, Dinámico, Multi-projection, Natural, Presentación. Tipo de serie de interfaz: RS-232C

Projector		Ports & interfaces	
Supported aspect ratios	16:10, 16:6, 16:9, 21:9	USB 2.0 Type-B ports quantity	1
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Serial interface type *	RS-232C
Projector brightness *	7000 ANSI lumens	HDMI ports quantity *	3
Projection technology *	3LCD	DVI port *	✗
Projector native resolution *	WUXGA (1920x1200)	Network	
Contrast ratio (typical) *	2500000:1	Ethernet LAN *	✓
Native aspect ratio *	16:10	Wi-Fi *	✗
Number of colours	1.07 billion colours	Storage	
Keystone correction, horizontal	-30 - 30°	Card reader integrated *	✗
Keystone correction, vertical	-30 - 30°	Features	
Matrix size	1.7 cm (0.67")	Interactive *	✗
Light source		Noise level (economic mode)	23 dB
Light source type *	Laser	Noise level *	31 dB
Service life of light source *	20000 h	Multimedia	
Service life of light source (economic mode)	30000 h	Built-in speaker(s) *	✓
Lens system		RMS rated power	10 W
Focus *	Manual	Design	
Focal length range	20 - 31.8 mm	Market positioning *	Education
Aperture range (F-F)	1.5 - 1.7	Product colour *	Black
Zoom capability	✓	Placement	Ceiling, Desktop
Zoom type	Manual	Cable lock slot	✓
Throw ratio	1.35 - 2.20:1	Cable lock slot type	Kensington
Video		Power	
Analog signal format system *	Not supported	Power source *	AC
Full HD *	✓	Power consumption (typical) *	382 W
3D *	✗	AC input frequency	50/60 Hz
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation	AC adapter output voltage	100 - 240 V
Ports & interfaces		Operational conditions	
HDBaseT port	✓	Operating temperature (T-T)	0 - 45 °C
USB 2.0 ports quantity	2	Weight & dimensions	
USB 2.0 Type-A ports quantity	1	Width	440 mm
		Depth	304 mm
		Height	122 mm

Weight & dimensions	
Weight *	8.5 kg
Packaging content	
Remote control included *	✓
Batteries included	✓



0010343977051



010343977051

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date