

Hisense 50QD6N Televisor 127 cm (50") 4K Ultra HD Smart TV Wifi Negro 350 cd / m²

Marca : Hisense

Código del producto: 50QD6N

Nombre del producto : 50QD6N

Hisense 50QD6N. Diagonal de la pantalla: 127 cm (50"), Resolución de la pantalla: 3840 x 2160 Pixeles, Tipo HD: 4K Ultra HD, Tecnología de visualización: QLED, Forma de la pantalla: Plana. Smart TV. Tecnología de interpolación de movimiento: Motion Rate 120, Brillo de pantalla: 350 cd / m², Razón de contraste (típica): 3000:1, Relación de aspecto nativa: 16:9. Wifi, Ethernet. Color del producto: Negro



Display		Ports & interfaces	
Display diagonal *	127 cm (50")	HDMI version	2.0
HD type *	4K Ultra HD	Audio Return Channel (ARC)	✓
Display technology *	QLED	PC in (D-Sub) *	✗
Screen shape *	Flat	Ethernet LAN (RJ-45) ports	1
Native aspect ratio *	16:9	USB 2.0 ports quantity *	2
Display brightness *	350 cd/m ²	Digital audio optical out	1
Motion interpolation technology *	Motion Rate 120	Headphone outputs	1
Native refresh rate	60 Hz	HDMI ports quantity *	3
Contrast ratio (typical) *	3000:1	Management features	
Display resolution *	3840 x 2160 pixels	Sleep timer	✓
Smart TV		Works with Amazon Alexa	✓
Smart TV *	✓	Works with the Google Assistant	✓
Internet TV *	✓	Power	
Operating system installed *	Google TV	Power consumption (typical) *	120 W
Audio		Power consumption (standby) *	0.5 W
Number of speakers *	2	AC input voltage	120 V
RMS rated power *	30 W	AC input frequency	50/60 Hz
Audio decoders	Dolby Atmos	Brand-specific features	
Network		Hisense technologies (AV/TV)	MEMC (Motion Estimation Motion Compensation)
Wi-Fi *	✓	Weight & dimensions	
Bluetooth *	✓	Width (with stand)	1119 mm
Ethernet LAN *	✓	Depth (with stand)	274 mm
Web browser	✓	Height (with stand)	702 mm
Design		Weight (with stand)	8.8 kg
Product colour *	Black	Width (without stand)	1119 mm
VESA mounting *	✓	Depth (without stand)	80 mm

Design		Weight & dimensions	
Panel mounting interface	200 x 400 mm	Height (without stand)	649 mm
Performance		Weight (without stand)	8.7 kg
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus)	Stand width	89.3 cm
Game mode	✓	Stand depth	27.4 cm
Noise reduction *	✓	Packaging data	
High Dynamic Range (HDR) supported *	✓	Package width	1364 mm
4K Ultra HD upscaling	✓	Package depth	142 mm
Parental control	✓	Package height	827 mm
		Package weight	13.5 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date