


GIGABYTE B760 DS3H AX placa base Intel B760 Express LGA 1700 ATX

Marca : GIGABYTE

Código del producto: B760 DS3H AX


Nombre del producto : B760 DS3H AX Placa Base - Compatible con procesadores Intel Core de 14ª generación, VRM digital de 8+2+1 fases, hasta 7600MHz DDR5 (OC), 2x PCIe 4.0 M.2, Wi-Fi 6E, LAN GbE, USB 3.2 Gen 2x2



B760 DS3H AX Placa Base - Compatible con procesadores Intel Core de 14ª generación, VRM digital de 8+2+1 fases, hasta 7600MHz DDR5 (OC), 2x PCIe 4.0 M.2, Wi-Fi 6E, LAN GbE, USB 3.2 Gen 2x2

GIGABYTE B760 DS3H AX placa base Intel B760 Express LGA 1700 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	WiFi-AP antenna jack	2
Processor socket *	LGA 1700	USB connector type	USB Type-A, USB Type-C
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	Network	
Supported processor sockets	LGA 1700	Ethernet LAN	✓
Memory		Ethernet interface type	Gigabit Ethernet
Supported memory types *	DDR5-SDRAM	Wi-Fi *	✓
Number of memory slots *	4	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory slots type	DIMM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	WLAN controller model	Realtek RTL8852CE
ECC compatibility	ECC & Non-ECC	Bluetooth	✓
Supported memory clock speeds	4000, 4800, 5200, 5400, 5600, 5800, 6000, 6200, 6400, 6600, 6800, 7000, 7200, 7400, 7600 MHz	Bluetooth version	5.3
Supported memory clock speed (max)	7600 MHz	Features	
Maximum internal memory *	256 GB	Motherboard chipset *	Intel B760 Express
Unbuffered memory	✓	Audio output channels *	7.1 channels
Storage controllers		Product colour	Brown
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	6	Motherboard chipset family *	Intel
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 5, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x16 slots	5
Maximum resolution	4096 x 2304 pixels	Number of M.2 (M) slots	2
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	1st M.2 largest key size	22110
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	1st M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	2nd M.2 largest key size	2280
Total number of SATA connectors	4	2nd M.2 highest PCI Express generation	4.0
S/PDIF out connector	✓	BIOS	
Front panel audio connector	✓	BIOS type *	UEFI AMI
Front panel connector	✓	BIOS memory size	128 Mbit
ATX Power connector (24-pin)	✓	ACPI version	5.0
CPU fan connector	✓	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Desktop Management Interface (DMI) version	2.7
TPM connector	✓	System Management BIOS (SMBIOS) version	2.7
Serial port headers	1	Logistics data	
12V power connector	✓	Country of origin	China
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	4	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Lithium weight per battery	0.07 g
USB 3.2 Gen 2x2 Type-C ports quantity	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
PS/2 ports quantity	1	Battery type	CR2032
HDMI ports quantity *	1	Packaging data	
HDMI version	2.0	Package width	335 mm
DisplayPorts quantity	1	Package depth	270 mm
DisplayPort version	1.2	Package height	80 mm
Headphone outputs	3	Package weight	1.58 kg
Microphone in	✓	Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)



4719331852757



0889523035979



889523035979

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date