


Dahua Technology KTW02 sistema de intercomunicación de video 2 MP 17.8 cm (7") Gris claro

Marca : Dahua Technology Código del producto: DHI-KTW02

Nombre del producto: KTW02





Technical details		Design		
Connectivity technology *	Wired & Wireless	International Protection (IP) code	IP65 Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)	
Colour *	×	Housing material		
Speakerphone *	✓	Control type	Touch	
Maximum number of cameras supported *	1	Placement supported	Vertical	
Door station control	✓	Proper use	Outdoor	
VoIP protocols	RTSP, DNS, P2P, UPnP, RTP, RTMP, SIP, SSH, HTTP/HTTPS, ONVIF	Storage Memory card slot	1	
Wall mountable	✓	Compatible memory cards	MicroSD (TransFlash), SD	
Built-in microphone	✓	Maximum memory card size	256 GB	
Automatic gain control	✓	Network		
Motion detection function	✓	Ethernet interface type	Fast Ethernet	
Fingerprint reader	✓	Ethernet LAN data rates	10,100 Mbit/s	
RFID reader	✓	Ethernet LAN (RJ-45) ports	1	
Sustainability compliance	✓	Wi-Fi	✓	
Compliance certificates	CE, Federal Communications Commission (FCC)	Wi-Fi standards Cabling technology	802.11b, 802.11g, Wi-Fi 4 (802.11n) 10/100Base-T(X)	
Display		Power over Ethernet (PoE)	✓	
Display diagonal * Display technology	17.8 cm (7") TFT	Supported network protocols	RTSP, DNS, P2P, UPnP, RTP, RTMP, SIP, SSH, HTTP/HTTPS, ONVIF	
Display resolution	1024 x 600 pixels	Power		
Touchscreen	✓	Outdoor unit power type	DC/PoE	
Video formats supported	H.264, H.265	AC adapter output voltage	33 V	
Camera		AC adapter output current	1 A	
Megapixel (approx.)	2 MP	Power consumption (typical)	6 W 3.5 W	
Supported video modes	720p, 1080p	Power consumption (standby)	3.5 W	
Sensor type	CMOS	Operational conditions		
Optical sensor size Maximum frame rate	25.4 / 2.8 mm (1 / 2.8") 30 fps	Operating temperature (T-T)	-40 - 60 °C	
Viewing angle, horizontal	110°	Operating relative humidity (H-H)	10 - 90%	
Viewing angle, vertical	62°	Weight & dimensions		
Night vision		Door station dimensions (WxDxH)	160 x 50 x 30 mm	
Night vision	/	Packaging data		
LED type	IR	Indoor unit included *	✓	
Audio		Outdoor unit included *	✓	
	✓	Logistics data		
Built-in speaker(s)	•	Quantity per pack	1 pc(s)	

Audio		Logistics data		
Noise-canceling	✓	Minimum order quantity	1 pc(s)	
Voice codecs	G.711a, G.711u, PCM			
Design				
Product colour *	Light grey			

