SAMSUNG

## Samsung Galaxy A35 5G 16.8 cm (6.6") Ranura híbrida Dual SIM Android 14 USB Tipo C 8 GB 256 GB 5000 mAh Amarillo

Marca : Samsung

Familia de productos: Galaxy

código del producto: SM-A356EZYGGTO

Nombre del producto : A35 5G

6.6", 1080 x 2340 (FHD+), Super AMOLED, Octa-Core, 50MP+8MP+5MP/13MP, Dual SIM, 5000 mAh, Android 14

Samsung Galaxy A35 5G . Diagonal de la pantalla: 16.8 cm (6.6"), Resolución de la pantalla: 1080 x 2340 Pixeles. Frecuencia del procesador: 2 GHz, Familia de procesador: Samsung Exynos. Capacidad de RAM: 8 GB, Capacidad de almacenamiento interno: 256 GB. Resolución de la cámara trasera (numérica): 50 MP, Tipo de cámara trasera: Triple cámara. Capacidad de la tarjeta SIM: Ranura híbrida Dual SIM. Sistema operativo instalado: Android 14. Capacidad de batería: 5000 mAh. Color del producto: Amarillo. Peso: 209 g





| Display   |  | Camera                                |   |
|---|--|---------------------------------------|---|
| Display diagonal *                                | 16.8 cm (6.6")                           | Image stabilizer type                 | Optical Image Stabilization (OIS)   |
| Screen shape                                      | Flat                                     | Night mode                            | <ul> <li>Image: A set of the set of the</li></ul> |
| Display technology marketing name                 | •  | Panorama                              | 1   |
| Panel type  | AMOLED                                   | Macro photography                     | ✓   |
| Display glass type                                | Gorilla Glass                            | Network                               |   |
| Gorilla Glass version                             | Gorilla Glass Victus+                    | SIM card capability *                 | Hybrid Dual SIM   |
| Display resolution *                              | 1080 x 2340 pixels<br>16 million colours | Mobile network generation *           | 5G  |
| Display number of colours<br>Maximum refresh rate | 120 Hz                                   | SIM card type *                       | NanoSIM   |
| Display brightness                                | 120 HZ<br>1000 cd/m <sup>2</sup>         | 3G standards *                        | UMTS, WCDMA   |
| 1 5 5   | 1000 cu/ll-                              | 4G standard *                         | LTE-TDD & LTE-FDD   |
| Maximum display brightness<br>(Outdoor)           | 1650 cd/m²                               | 5G standard *                         | Sub6 FDD. Sub6 TDD  |
| Pixel density                                     | 389 ppi                                  | Wi-Fi                                 |   |
| Brand specific technologies                       | Always-on display                        | VVI-1 1                               | <b>8</b> 02.11a, 802.11b, 802.11g, Wi-Fi 4  |
| Processor   |  | Wi-Fi standards                       | (802.11a, 802.11b, 802.11g, Wi-Fi 4<br>(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi<br>6 (802.11ax)   |
| Processor family *                                | Samsung Exynos                           | Bluetooth *                           | ✓   |
| Processor cores                                   | 8  | Bluetooth version                     | 5.3   |
| Processor boost frequency                         | 2.4 GHz                                  | Wi-Fi Direct                          | v   |
| Processor frequency *                             | 2 GHz                                    | MIMO                                  |   |
| Storage   |  | Modulation                            | 1024-QAM  |
| User memory                                       | 234 GB                                   | Near Field Communication (NFC)        | 1024-QAM<br>✓   |
| RAM capacity *                                    | 8 GB                                     |                                       | •   |
| Internal storage capacity *                       | 256 GB                                   | Subscription                          |   |
| Compatible memory cards *                         | MicroSD (TransFlash)                     | Subscription type *                   | No subscription   |
| Maximum memory card size                          | 1 TB                                     | Ports & interfaces                    |   |
| Camera  |  | USB port                              | 1   |
| Rear camera sensor size                           | 1/1.96"                                  | USB connector type                    | USB Type-C  |
| Second rear camera sensor size                    | 1/4"                                     | USB version                           | 2.0   |
| Third rear camera sensor size                     | 1/5"                                     | Messaging                             |   |
| Rear camera resolution (numeric) *                | 50 MP                                    |                                       |   |
| Second rear camera resolution (numeric)           | 8 MP                                     | Short Message Service (SMS)<br>E-mail | J<br>J  |
| Third rear camera resolution (numeric)            | 5 MP                                     | Design                                |   |
| Rear camera aperture number                       | 1.8                                      | Form factor *                         | Bar   |
|   |  |                                       |   |

## Camera

| Second rear camera aperture number           | 2.2  |
|--|--|
| Third rear camera aperture number            | 2.4  |
| Rear camera pixel size                       | 0.8 μm   |
| Second rear camera pixel size                | 1.12 μm  |
| Third rear camera pixel size                 | 1.12 μm  |
| Rear camera field of view (FOV)<br>angle     | 80°  |
| Second rear camera field of view (FOV) angle | 120°   |
| Third rear camera field of view (FOV) angle  | 78°  |
| Digital zoom                                 | 10x  |
| Front camera type *                          | Single camera  |
| Front camera sensor size                     | 1/3.06"  |
| Front camera resolution (numeric) $*$        | 13 MP  |
| Front camera aperture number                 | 2.2  |
| Front camera pixel size                      | 1.12 μm  |
| Front camera field of view (FOV)<br>angle    | 80°  |
| Rear camera flash *                          | 1  |
| Flash type                                   | LED  |
| Video capture resolution (max)               | 3840 x 2160 pixels   |
| Maximum frame rate                           | 240 fps  |
| Resolution at capture speed                  | 1280x720@30fps,<br>1920x1080@30fps,<br>1920x1080@60fps,<br>3840x2160@30fps |
| Rear camera type *                           | Triple camera  |
| Auto focus                                   | 1  |
| Camera High Dynamic Range (HDR) mode         | 1  |
| Time lapse mode                              | 1  |
| Image stabilizer                             | 1  |
|  |  |

| Audio formats supportedM4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>3G2, 3GP, AVI, FLV, M4V, WEBMVideo formats supported3G2, 3GP, AVI, FLV, M4V, WEBMSoftwarePlatform *AndroidOperating system installed *Android 14BatteryX<br>So00 mAhBattery capacity *S000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   |   |   |
|---|---|---|
| Colour name<br>International Protection (IP) code<br>Basis, MetalPerformanceIP67<br>Glass, MetalVideo call-Fast charging-Fast charging-Fingerprint reader-Face recognition-Vibrating alert-GDLNASS-BeiDou-Galileo-Galileo-Galileo-Quasi-Zenith Satellite System<br>(QZSS)-Nutimedia-Audio formats supportedSGA, AAC, AMR, AWB, FLA<br>MAA, Mid, MIDI, MP3, MXA<br>OGG, OTA, RTTTL, RTX, W<br>WEBMSoftware-Platform *Android 14BatterySo00 mAhSensors-Proximity sensor-Android sensor-Ambient light sensor-Audio formation-Mathery capacity *So00 mAhSensors-Proximity sensor-Android Lagensor-Aubient light sensor-Aubient light sensor- | Design  |   |
| Video call·Fast charging·Fast charging·Fingerprint reader·Face recognition·Vibrating alert· <b>Navigation</b> ·GLONASS·BeiDou·Galileo·Quasi-Zenith Satellite System·QZSS)Position location *Audio systemDolby AtmosAudio formats supportedSGA, AAC, AMR, AWB, FLAAudio formats supportedSG2, 3GP, AVI, FLV, M4V, WEBMSoftwareVPlatform *Android 14BatteryS000 mAhSensors·Proxinity sensor·Accelerometer·Ambient light sensor·Giroscope·Guroscope·Guroscope·Width78 mmBepth8.2 mmHeight161.7 mmWidth78 mmPepthScopeKidthSensorsForsing System stalled·Stratery·Sologen Sensor·Proxing Sensor·Stratery·Stratery·Stratery·Stratery·Sologen·Stratery·Sologen·Stratery·Sologen·Stratery·Stratery·Stratery·Stratery·Stratery·Stratery·<   | Colour name<br>International Protection (IP) code | Awesome Lemon<br>IP67   |
| Fast charging·Fingerprint reader·Face recognition·Vibrating alert·Avigation·GPS (satellite)·GLONASS·BeiDou·Galileo·Quasi-Zenith Satellite System·Nutimedia·Audio systemDolby AtmosAudio formats supportedSGA, AAC, AMR, AWB, FLAAudio formats supportedSGA, AAC, AMR, AWB, FLAMutimedia·Audio formats supportedSGA, AAC, AMR, AWB, FLAAudio formats supportedMadroid 14Battery·Platform *Android 14BatteryS000 mAhSoftware·Proximity sensor·Accelerometer·Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPatkaging content·  | Performance                                       |   |
| Fingerprint reader·Face recognition·Vibrating alert·Navigation·GPS (satellite)·GLONASS·BeiDou·Galileo·Quasi-Zenith Satellite System·Nuttimedia·Audio systemDolby AtmosAudio formats supportedJGA, AAC, AMR, AWB, FLA<br>M4A, Mid, MID, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supportedJGA, AAC, AMR, AWB, FLA<br>M4A, Mid, MID, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WSoftware·Platform *Android<br>Android 14Battery×Removable battery×Battery capacity *S000 mAhSoftware·Proximity sensor·Accelerometer·Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Vidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPatkaging contentV  | Video call  | 1   |
| Face recognition·Vibrating alert·Navigation·GPS (satellite)·GLONASS·BeiDou·Galileo·Quasi-Zenith Satellite System·Notice of controls·MultimediaDolby AtmosAudio systemJGA, AAC, AMR, AWB, FLAAudio formats supportedJGA, AAC, AMR, AWB, FLAAudio formats supportedJG2, 3GP, AVI, FLV, M4V, WEBMSoftware·Platform *Android 14BatteryS000 mAhSensors·Proximity sensor·Accelerometer·Ambient light sensor·Gormagnetic sensor·Hall sensor·Hall sensor·Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  | Fast charging                                     | 1   |
| Vibrating alert✓Navigation✓GPS (satellite)✓GLONASS✓BeiDou✓Galileo✓Quasi-Zenith Satellite System✓Notitinedia✓Audio systemDolby AtmosAudio formats supportedJGA, AAC, AMR, AWB, FLAAudio formats supportedJGC, OTA, RTTTL, RTX, WVideo formats supportedAndroidPatterrAndroidRemovable batteryXBatteryXProximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Geomagnetic sensor✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   | Fingerprint reader                                | 1   |
| NavigationGPS (satellite)GLONASSBeiDouGalileoQuasi-Zenith Satellite System(QZSS)Position location *MultimediaDolby AtmosAudio system3GA, AAC, AMR, AWB, FLAAudio formats supportedM4A, Mid, MIDJ, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supported3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftwarePlatform *Android 14BatteryXRemovable batteryXSattery capacity *S000 mAhSensorsProximity sensorAnbient light sensorGyroscopeGeomagnetic sensorHall sensorWidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  | Face recognition                                  | 1   |
| GPS (satellite)·GLONASS·BeiDou·Galileo·Quasi-Zenith Satellite System<br>(QZSS)·Position location *·Multimedia·Audio systemDolby Atmos<br>3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftware·Platform *Android<br>Android 14Battery×Removable battery<br>Battery capacity *×Proximity sensor·Accelerometer·Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Width78 mm<br>Depth<br>BaiteryWidth78 mm<br>Capacity *Pepth8.2 mm<br>Height<br>Height *Cop g·Capacity *209 gPackaging contentVSB Type-C   | Vibrating alert                                   | 1   |
| GLONASSBeiDouGalileoQuasi-Zenith Satellite System(QZSS)Position location *MultimediaAudio systemDolby AtmosAudio formats supported3GA, AAC, AMR, AWB, FLA<br>MAA, Mid, MIDI, MP3, MXW<br>OGG, OTA, RTTTL, RTX, WVideo formats supported3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftwarePlatform *Android<br>Android 14BatteryXRemovable batteryXBattery capacity *5000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   | Navigation  |   |
| BeiDou✓BeiDou✓Galileo✓Quasi-Zenith Satellite System✓Position location *✓Multimedia✓Audio systemDolby AtmosAudio formats supportedGG, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supportedG2, 3GP, AVI, FLV, M4V,<br>WEBMSoftware✓Platform *Android<br>Android 14Battery×Removable battery×Battery capacity *5000 mAhSensors✓Proximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Geomagnetic sensor✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  | GPS (satellite)                                   | 1   |
| Gaileo✓Guasi-Zenith Satellite System✓Position location *✓MultimediaJolby AtmosAudio systemDolby AtmosAudio formats supportedJGA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supportedJG2, 3GP, AVI, FLV, M4V, WEBMSoftwareJolay Atmoid 14Platform *Android 14BatteryXSattery capacity *S000 mAhSensors✓Proximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Geomagnetic sensor✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentVSB Type-C   | GLONASS   | 1   |
| Quasi-Zenith Satellite System<br>QZSS)Position location *MultimediaAudio systemDolby Atmos<br>3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>Video formats supportedAudio formats supported3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftware3G2, 3GP, AVI, FLV, M4V,<br>WEBMPlatform *Android<br>Operating system installed *AndroidAndroid<br>14BatteryX<br>So000 mAhSensorsYProximity sensorY<br>AccelerometerAmbient light sensorY<br>AccelerometerAmbient light sensorY<br>AccelerometerHall sensorY<br>YWidth78 mm<br>BatteryHeight161.7 mm<br>Weight *Quasi-Zenita SupportedY<br>YPopth209 gPackaging contentVSB Type-C   | BeiDou  | 1   |
| (QZSS)VPosition location *✓MultimediaDolby Atmos<br>3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WAudio formats supportedM4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supported362, 3GP, AVI, FLV, M4V,<br>WEBMSoftwareYPlatform *Android<br>Operating system installed *Audio batteryXBatteryXRemovable batteryXBattery capacity *5000 mAhSensors✓Proximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  |   | 1   |
| MultimediaAudio systemDolby AtmosAudio formats supported3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, WVideo formats supported3G2, 3GP, AVI, FLV, M4V, WEBMSoftware3G2, 3GP, AVI, FLV, M4V, WEBMPlatform *AndroidOperating system installed *Android 14BatteryXBattery capacity *5000 mAhSensorsYProximity sensor✓Accelerometer✓Ambient light sensor✓Geomagnetic sensor✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  |   | 1   |
| Audio systemDolby AtmosAudio formats supported3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>WEBMVideo formats supported3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftwarePlatform *AndroidOperating system installed *Android 14BatteryXRemovable batteryXBattery capacity *5000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGormagnetic sensorHall sensorWidth78 mmDetyph8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   | Position location *                               | 1   |
| Audio formats supported3GA, AAC, AMR, AWB, FLA<br>M4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>WEBMVideo formats supported3G2, 3GP, AVI, FLV, M4V,<br>WEBMSoftwareAndroidPlatform *Android<br>Operating system installed *Android 14BatteryXRemovable batteryXBattery capacity *5000 mAhSensorsYProximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Geomagnetic sensor✓Hall sensor✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  | Multimedia  |   |
| Audio formats supportedM4A, Mid, MIDI, MP3, MXM<br>OGG, OTA, RTTTL, RTX, W<br>SGF, AVI, FLV, M4V, WEBMSoftware3G2, 3GP, AVI, FLV, M4V, WEBMPlatform *Android<br>Operating system installed *Android 14BatteryX<br>S000 mAhBattery capacity *5000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWidth78 mm<br>B.2 mm<br>DepthBeight & dimensionsWidth78 mm<br>B.2 mm<br>DepthHeight161.7 mm<br>209 gPackaging contentUSB Type-C   | Audio system                                      | Dolby Atmos   |
| Video formats supportedWEBMSoftwarePlatform *AndroidOperating system installed *Android 14BatteryRemovable batteryXBattery capacity *5000 mAhSensorsProximity sensor<   |   | 3GA, AAC, AMR, AWB, FLAC, IMY,<br>M4A, Mid, MIDI, MP3, MXMF, OGA,<br>OGG, OTA, RTTTL, RTX, WAV, XMF |
| Platform *AndroidOperating system installed *Android 14BatteryAndroid 14BatteryXRemovable batteryXBattery capacity *5000 mAhSensors·Proximity sensor·Accelerometer·Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Width78 mmDepth8.2 mmHeight *161.7 mmWeight *209 gPackaging contentUSB Type-C  | Video formats supported                           | 3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM   |
| Operating system installed *Android 14BatteryXBattery capacity *5000 mAhSensors·Proximity sensor·Accelerometer·Ambient light sensor·Geomagnetic sensor·Hall sensor·Weight & dimensions·Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentVSB Type-C  | Software  |   |
| Removable battery×Battery capacity *5000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWeight & dimensionsWidth78 mmDepth8.2 mmHeight *161.7 mmWeight *209 gPackaging contentUSB Type-C  |   |   |
| Battery capacity*5000 mAhSensorsProximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWeight & dimensionsWidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   | Battery   |   |
| SensorsProximity sensor✓Accelerometer✓Ambient light sensor✓Gyroscope✓Geomagnetic sensor✓Hall sensor✓Weight & dimensions✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   | Removable battery                                 | ×   |
| Proximity sensorAccelerometerAmbient light sensorGyroscopeGeomagnetic sensorHall sensorWeight & dimensionsWidth78 mmDepth8.2 mmHeight *161.7 mmWeight *209 gPackaging contentUSB Type-C   | Battery capacity *                                | 5000 mAh  |
| Accelerometer·Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Weight & dimensions·Width78 mmDepth8.2 mmHeight 101161.7 mmWeight *209 gPackaging contentUSB Type-C   | Sensors   |   |
| Ambient light sensor·Gyroscope·Geomagnetic sensor·Hall sensor·Weight & dimensions·Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C   |   | 1   |
| Gyroscope✓Geomagnetic sensor✓Hall sensor✓Weight & dimensions✓Width78 mmDepth8.2 mmHeight %161.7 mmWeight *209 gPackaging contentUSB Type-C  |   | 1   |
| Geomagnetic sensor✓Hall sensor✓Weight & dimensions✓Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  | 5   |   |
| Hall sensor✓Weight & dimensionsWidth78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentUSB Type-C  |   |   |
| Weight & dimensionsWidth78 mmDepth8.2 mmHeight161.7 mmWeight*209 gPackaging contentUSB Type-C   |   | 4   |
| Width78 mmDepth8.2 mmHeight161.7 mmWeight *209 gPackaging contentCables includedUSB Type-C  |   | •   |
| Depth8.2 mmHeight161.7 mmWeight*209 gPackaging contentUSB Type-C  | •   | 78 mm   |
| Weight * 209 g Packaging content Cables included USB Type-C   |   |   |
| Packaging content       Cables included     USB Type-C  | 1   | 161.7 mm  |
| Cables included USB Type-C  | Weight *  | 209 g   |
| ,   |   |   |
|   | Cables included<br>SIM card ejector pin           |   |



8806095524467

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.